



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

| | |
|--|--|
| Identification of the preparation | HP Color LaserJet CE400A-X-XC Black Print Cartridge |
| Use of the substance/preparation | This product is a black toner preparation that is used in HP LaserJet Enterprise 500 Color M551 , HP LaserJet Enterprise 500 color MFP M575 /HP LaserJet Pro 500 color MFP M570 series printers. |
| Version No. | 06 |
| Revision date | 06-Dec-2012 |
| Company identification | Hewlett-Packard (Schweiz/Suisse/Svizzera) GmbH Ueberlandstrasse 1 CH-8600 Dübendorf Switzerland Telephone + 41 44 634 10 20 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Centre telephone number +41 44 251 51 51 oder Nr. (24h Notfallnummer) 145 |

2. HAZARDS IDENTIFICATION

Acute health effects

| | |
|---------------------|--|
| Skin contact | Unlikely to cause skin irritation. |
| Eye contact | May cause transient slight irritation. |
| Inhalation | Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust. Use of this product as intended does not result in inhalation of excessive amounts of dust. |
| Ingestion | Low acute toxicity. Ingestion is a minor route of entry for intended use of this product. |

Potential health effects

| | |
|---------------------------|---|
| Routes of exposure | Potential routes of exposure under normal use conditions are skin, eye contact and inhalation. Ingestion is not expected to be a primary route of exposure for this product under normal use conditions. |
|---------------------------|---|

Chronic health effects Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Carcinogenicity Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk.

Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower.

Other information This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

| | |
|------------------------------|--|
| Classification | Not classified. |
| Physical hazards | Not classified as a physical hazard. |
| Health hazards | Not classified as a health hazard. |
| Environmental hazards | Not classified as an environmental hazard. |

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS # | Percent | EC-No. | Classification |
|----------------------------|--------------|---------|-----------|----------------|
| Styrene acrylate copolymer | Trade secret | < 85 | | |
| Carbon black | 1333-86-4 | < 10 | 215-609-9 | |
| Wax | Trade secret | < 10 | | |
| Amorphous silica | 7631-86-9 | < 3 | 231-545-4 | |
| Titanium dioxide | 13463-67-7 | < 1 | 236-675-5 | |

4. FIRST-AID MEASURES

| | |
|-----------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| General advice | No additional information |

5. FIRE-FIGHTING MEASURES

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Extinguishing media which must not be used for safety reasons | None known. |
| Unusual fire & explosion hazards | Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air. |
| Fire fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |
| Hazardous combustion products | Carbon monoxide and carbon dioxide. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|----------------------------------|---|
| Personal precautions | Minimise dust generation and accumulation. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |
| Other information | Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations. |

7. HANDLING AND STORAGE

| | |
|-----------------|--|
| Handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Storage | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

Switzerland

| Components | Type | Value | Form |
|-------------------------------|------|--------------|------------------|
| Titanium dioxide (13463-67-7) | TWA | 3.0000 mg/m3 | Respirable dust. |

| | |
|---------------------------------|---|
| Additional exposure data | USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3 |
|---------------------------------|---|

| | |
|---------------------------------------|---|
| Exposure controls | Use in a well ventilated area. |
| Occupational exposure controls | |
| Skin and body protection | Not available. |
| General | No personal respiratory protective equipment required under normal conditions of use. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid |
| Form | solid |
| Color | Black. |
| Odor | Slight plastic odor |
| Odour threshold | Not available. |
| pH | Not applicable |
| Boiling point | Not applicable |
| Flash point | Not applicable |
| Flammability limits in air, upper, % by volume | Not available. |
| Flammability limits in air, lower, % by volume | Not flammable |
| Vapor pressure | Not applicable |
| Relative density | Not available. |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available |
| Viscosity | Not applicable |
| Vapor density | Not available. |
| Evaporation rate | Not applicable |
| Melting point | Not available. |
| Freezing point | Not available. |
| Auto-ignition temperature | Not applicable |
| Specific gravity | 1 - 1.2 (H ₂ O = 1) |
| Softening point | 80 - 130 °C (176 - 266 °F) |
| Percent volatile | 0 % estimated |

10. STABILITY AND REACTIVITY

| | |
|---|---|
| Conditions to avoid | Imaging Drum: Exposure to light |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |
| Stability | Stable under normal storage conditions. |
| Materials to avoid | Strong oxidizers |
| Hazardous polymerization | Will not occur. |

11. TOXICOLOGICAL INFORMATION

| | |
|------------------------|--|
| Oral toxicity | LD50/oral/rat >2000mg/kg; (OECD 401); Not harmful.. Not classified for acute oral toxicity according to EU Directive 67/548/EEC and 1999/45/EC. |
| Carcinogenicity | <p>Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.</p> <p>Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower.</p> <p>None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.</p> |

IARC Monographs. Overall Evaluation of Carcinogenicity

| | |
|-----------------------------------|---|
| Amorphous silica (CAS 7631-86-9) | 3 Not classifiable as to carcinogenicity to humans. |
| Carbon black (CAS 1333-86-4) | 2B Possibly carcinogenic to humans. |
| Titanium dioxide (CAS 13463-67-7) | 2B Possibly carcinogenic to humans. |

Inhalation toxicity No information available.

Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and 1999/45/EC.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Chronic toxicity No information available.

Sensitization Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA HCS (US).

Mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Reproductivity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Ecotoxicity LC50: > 100 mg/l, Fish, 96.00 Hours

Other adverse effects This product has not been tested for ecological effects.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. TRANSPORT INFORMATION

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. REGULATORY INFORMATION

Labeling

Contains Amorphous silica, Carbon black, Styrene acrylate copolymer, Titanium dioxide, Wax

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. OTHER INFORMATION

Other information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date 06-Dec-2012

This data sheet contains changes from the previous version in section(s): IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING: Product use
PHYSICAL AND CHEMICAL PROPERTIES: Other information

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|----------------------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-term exposure limit |
| TCLP: <value> | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |