SAFETY DATA SHEET LYRECO LABEL REMOVER 270ML/200ML NET

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name LYRECO LABEL REMOVER 270ML/200ML NET Product number 2,519,459,ZP Internal identification ALCL200LYR_EU; ALCL200LYR_EE; ALCL200LYR_FE 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses **Cleaning Product** Uses advised against At this moment in time we do not have information on use restrictions. They will be included in this safety data sheet when available 1.3. Details of the supplier of the safety data sheet Supplier LYRECO Rue du 19 mars 1962, F-59770 MARLY FRANCE +33 (0) 3 27 23 64 00 msds@lyreco.com 1.4. Emergency telephone number **Emergency telephone** +33 (0) 3 27 23 64 00 This number is serviced during office hours only **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification Physical hazards Aerosol 2 - H223, H229 Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 **Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

Classification (67/548/EEC or Xi;R38. R43. ;R10. N;R50/53. 1999/45/EC)

2.2. Label elements

Pictogram



Hazard statements	 H223 Flammable aerosol. H315 Causes skin irritation. H229 Pressurised container: may burst if heated H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	 P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P261 Avoid breathing vapour/spray. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Contains	Orange Terpenes

2.3. Other hazards

The above phrases are the risks associated with the product

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
C11-C15 ISO-ALKANES		30-60%
CAS number: —	EC number: 927-285-2	REACH registration number: 01-
		2119480162-45-XXXX
Classification	Classificati	on (67/548/EEC or 1999/45/EC)
Asp. Tox. 1 - H304	Xn;R65. R6	66.
Orange Terpenes		10-30%
CAS number: 8028-48-6	EC number: 232-433-8	REACH registration number: 01- 2119529223-47-XXXX
M factor (Acute) = 1		
Classification	Classificati	on (67/548/EEC or 1999/45/EC)
Flam. Liq. 3 - H226	Xn;R65. Xi	;R38. N;R50/53. R10,R43.
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

3-BUTOXYPROPAN-2-OL	10-30%
CAS number: 5131-66-8	EC number: 225-878-4
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xi;R36/38
The Full Text for all R-Phrases	s and Hazard Statements are Displayed in Section 16.
Composition comments	Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels.
SECTION 4: First aid measure	\$
4.1. Description of first aid me	asures
Inhalation	Move affected person to fresh air at once. Keep affected person warm and at rest. Get medical attention immediately.
Ingestion	Rinse mouth thoroughly with water.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4.2. Most important symptoms	and effects, both acute and delayed
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Powder. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	The product is flammable. Heating may generate flammable vapours. Vapours may be ignited by a spark, a hot surface or an ember. Containers can burst violently or explode when heated due to excessive pressure build-up.
Hazardous combustion products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
5.3. Advice for firefighters	
Ducto office, a office a during	Move containers from fire area if it can be done without risk. Containers close to fire should be removed or cooled with water.
Protective actions during firefighting	Temoved of cooled with water.
•	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions	Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See Section 12 for additional information on ecological hazards. Collect and dispose of spillage as indicated in Section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Usage precautions	Keep away from heat, sparks and open flame. Provide adequate ventilation.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store at moderate temperatures in dry, well ventilated area.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Contro	Is/personal protection
8.1. Control parameters Occupational exposure limits C11-C15 ISO-ALKANES Long-term exposure limit (8-ho	bur TWA): 1200 mg/m³
3-BUTOXYPROPAN-2-OL	
Long-term exposure limit (8-ho	our TWA): SUP 50 ppm
Ingredient comments	Australian exposure limits are: LT= ES-TWA and ST= ES STEL
8.2. Exposure controls	
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients. Provide adequate general and local exhaust ventilation.
Eye/face protection	Wear chemical splash goggles. EN166
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. It is recommended that gloves are made of the following material: Nitrile rubber. Gloves should conform to EN374
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
Hygiene measures	Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Do not smoke in work area.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Organic vapour filter. EN14387

SECTION 9: Physical and Che	emical Properties
9.1. Information on basic physical and chemical properties	
Appearance	Aerosol. Liquid.
Colour	Colourless.
Odour	Characteristic. Lemon.
рН	pH (concentrated solution): 5-6
Initial boiling point and range	>100°C @
Flash point	<55°C CC (Closed cup).
Upper/lower flammability or explosive limits	: 0.6
Vapour pressure	@ °C
Relative density	0.820 - 0.840 @ °C
Solubility(ies)	Insoluble in water.
Auto-ignition temperature	> 200°C
9.2. Other information	
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous	
Possibility of hazardous reactions	Not determined. Will not polymerise.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition.
10.5. Incompatible materials	
Materials to avoid	Strong acids. Strong alkalis. Strong oxidising agents.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
SECTION 11: Toxicological information	

11.1. Information on toxicological effects

Inhalation

Vapours may cause headache, fatigue, dizziness and nausea. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Headache. Fatigue. Nausea, vomiting.

Skin contact	Irritating to skin. May cause sensitisation by skin contact. Prolonged or repeated exposure may cause severe irritation.
Eye contact	Irritating to eyes.
Route of entry	Skin and/or eye contact Inhalation
SECTION 12: Ecological Info	mation
Ecotoxicity	Dangerous for the environment if discharged into watercourses.
12.1. Toxicity	
Ecological information on ingr	edients.
	3-BUTOXYPROPAN-2-OL
Acute toxicity - fi	sh LC₅₀, 96 hours: 560-1000 mg/l, Fish
Acute toxicity - a invertebrates	quatic EC₅₀, 48 hours: >1000 mg/l, Daphnia magna
12.2. Persistence and degrad	ability
<u>_</u>	There are no data on the degradability of this product.
12.3. Bioaccumulative potential	
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
12.5. Results of PBT and vPv	B assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
SECTION 13: Disposal consid	lerations
13.1. Waste treatment method	ds
Disposal methods	Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport inform	nation
General	This product is packed in accordance with the Limited Quantity Provisions of CDGCPL2, ADR and IMDG. These provisions allow transport of aerosols of less than 1litre packed in cartons of less than 30kg gross to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed must show the following
14.1. UN number	
UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
14.2. UN proper shipping nam	
Proper shipping name (ADR/RID)	AEROSOLS

Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS
14.3. Transport hazard class(e	us)
ADR/RID class	2
ADR/RID subsidiary risk	
ADR/RID label	2.2
IMDG class	2.2
IMDG subsidiary risk	
ICAO class/division	2.2
ICAO subsidiary risk	
Transport labels	
14.4. Packing group	
ADR/RID packing group	N/A
IMDG packing group	N/A
ICAO packing group	N/A
14.5. Environmental hazards	
Environmentally hazardous sul	bstance/marine pollutant
No.	
14.6. Special precautions for u	iser
EmS	F-D, S-U
Emergency Action Code	
Hazard Identification Number (ADR/RID)	
Tunnel restriction code	(E)
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information required.
SECTION 15: Regulatory infor	mation
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

National regulationsThe Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009
No. 716).
Control of Substances Hazardous to Health Regulations 2002 (as amended).
The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).

EU legislation	Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	
Authorisations (Title VII Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Title VIII	No specific restrictions on use are known for this product.

Regulation 1907/2006)

15.2. Chemical safety assessment

SECTION 16: Other information	
Issued by	David Bray
Revision date	15/05/2015
Revision	2
SDS number	13256
Risk phrases in full	 R10 Flammable. R36/38 Irritating to eyes and skin. R38 Irritating to skin. R43 May cause sensitisation by skin contact. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed. R66 Repeated exposure may cause skin dryness or cracking.
Hazard statements in full	 H223 Flammable aerosol. H226 Flammable liquid and vapour. H229 Pressurised container: may burst if heated H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.