HyFlex® 11-927

TECHNICAL DATASHEET

Oil-Repellent Print date 20-07-2015

Glove material

- Nitrile (Coating material)
- Nylon (Liner material)
- HPPE (Liner material)

Possible Harmful ingredients

Sensitizers

No sensitizers

Reach Regulation 1907/2006

For more information, please consult the REACH statement on the Ansell website

Properties

- Breathable protection
- Excellent cut resistance
- Oil and dirt repellant

EN Test Data

Abrasion resistance:

Performance level 4

Blade cut resistance:

Performance level 3

Tear resistance:

Performance level 4

Puncture resistance:

Performance level 2

European conformity

Gloves conform to the requirements of the European Directive 89/686/EEC and to the European standards EN 420:2003 + A1:2009 and EN 388:2003

They are categorised in "Intermediate Design" (= Protection against intermediate risks).

EC-Type Examination Certificate for the final product by Centexbel

Technologiepark 7 B-9052 Zwijnaarde

Application - Limitations of use

Hand (mechanical) protection

Hand protection – light to medium duty applications

Do not use against chemicals; the glove is not liquidproof Do not use against flames or temperatures

Storage

Keep away from sources of ozone or ignition. Keep out of direct sunlight; store in a cool and dry place.

Construction	Gauge	Liner material	Coating material	Finishing	Cuff style	Colour	EN Size	Length mm	Packaging
Knitted	13	Nylon HPPE	Nitrile	3/4 Dipped	Knitwrist	Light grey, dark grey and black		215-242	12 pairs in a bag; 12 bags in a carton

The length of the gloves is below the EN requirements for total minimum glove length. Hence, the glove is called 'Fit for special purpose'

