

EUROPEAN MASTER TEXT – USER INSTRUCTION TEXT

Product: 3M™ Safety Spectacle
Packaging item: User Instructions

USER INSTRUCTIONS: 3M™ Safety Spectacles
Safety Eyewear conforming to EN 166

 **WARNING**

Particular attention should be given to warning statements where indicated.

Always be sure that the complete product is:

- Suitable for the application;
- Fitted correctly;
- Worn during all periods of exposure;
- Replaced when necessary.

Proper selection, training, use and appropriate maintenance are essential in order for the product to help protect the wearer.

Always use both hands to put on and remove eyewear.

Failure to follow all instructions on the use of these personal protection products and/or failure to properly wear the complete product during all periods of exposure may adversely affect the wearer's health, lead to severe or life threatening illness or permanent disability.

For suitability and proper use follow local regulations, refer to all information supplied or contact a safety professional/3M representative.

See all instructions for use and save for continuing reference.

Elasticated textile headbands may contain natural rubber latex.

Other products do not contain natural rubber latex.

Standard and Approval:

These products meet the requirements of EN 166

Check product marking for further information on intended use.

These products meet the Basic Safety Requirements as laid out in Annex II of the European Community Directive 89/686/EEC, and have been examined at the design stage by:

ECS GmbH - European Certification Service, Huettfeldstrasse 50, 73430 Aalen Germany (Notified body number 1883)

INSPEC International Limited, 56 Leslie Hough Way, Salford, Greater Manchester M6 6AJ, UK (Notified Body number 0194).

BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes, MK5 8PP, UK (Notified body number 0086).

Institut National De Recherche Et De Securite, Centre de Lorraine, Rue du Morvan, CS 60027, 54519 Vandoeuvre les Nancy Cedex, France (Notified Body number 0070)

Certottica Scarl, Zona Industriale Villanova, I- 32013 Longarone BL, Italy (Notified Body number 0530)



Name and address of Legal Manufacturer:

3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, RG12 8HT, 08706080060

STORAGE AND TRANSPORTATION

Follow the manufacturer's recommendation for storage.



Maximum Relative Humidity



Temperature Range



Date of manufacture (mm/yyyy)

See package for details

Discard the product within 5 years from the date of manufacture or immediately if damaged.

When transporting this product use original packaging.

Store in original packaging and keep away from abrasives, solvents or solvent vapours.

CLEANING AND DISINFECTION

Eyewear should be cleaned using soap and water or 3M™ Cleaning Solution.

Pat dry with a soft cloth or tissue.

LIMITATIONS OF USE

Inspect the eye protector regularly; pitted or scratched lenses or damaged frames may seriously reduce protection.

Replace the product or lens (where appropriate) when this occurs.

If in doubt, check with the manufacturer.

3M Safety Eyewear is intended to provide a universal fit.

Materials which come into contact with the wearer's skin could cause allergic reaction to susceptible individuals.

Eye protectors against high speed particles worn over standard ophthalmic spectacles may transmit impact energy, creating a hazard to the wearer.

If the frame and lens markings for mechanical strength differ, the lower level applies to the complete eye protector.

If protection is required at extremes of temperature then select safety eyewear with the letter T immediately after the impact letter, i.e. FT.

A - Frame Marking

1 - Manufacturer (3M)

2 - Model name or number

3 - Number of the standard EN 166

4 - Mechanical Strength (S= Increased Robustness, F = High Speed Particles, low energy impact)

5 - Designed for small head

6 - Approval mark

B - Lens Marking

1 - Filter Code Number (2 or 2C = Ultraviolet, 4 = Infrared, 5 = Sunglare without IR protection, 6 = Sunglare with IR protection)

2 - Shade number (without code number = welding filter)

3 - Manufacturer (3M)

4 - Optical Class

5 - Mechanical Strength (see frame marking)

6 - Resistance to surface damage by fine particles

7 - Resistance to fogging

