

# SAFETY DATA SHEET of: Crystal Rinse

Revision date: Friday, April 15, 2016

# 1 SECTION 1: Identification of the substance/mixture and of the company/undertaking:

## 1.1 Product identifier:

# **Crystal Rinse**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

#### Rinse aid

Concentration in use: /

## 1.3 Details of the supplier of the safety data sheet:

## Greenspeed

P.O.Box 1250 2280 CG Rijswijk (ZH), NL Phone: +31703458737 — Fax: +31703458942 E-mail: greenspeed@greenspeed.eu — Website: http://www.greenspeed.eu/

## 1.4 Emergency telephone number:

GB: +31 70 345 87 37 // IE: +353 1 809 2166 (public) // NL: +31 30 274 88 88 (Uitsluitend voor professionele hulpverleners)

## 2 SECTION 2: Hazards identification:

## 2.1 Classification of the substance or mixture:

Classification of the substance or mixture in accordance with regulation (EU) 1272/2008:

H319 Eye Irrit. 2

## 2.2 Label elements:

Pictograms:



## Hazard statements:

H319 Eye Irrit. 2:	Causes serious eye irritation.
Precautionary statements:	
P264:	Wash hands thoroughly after handling.
P280:	Wear protective gloves, protective clothing, eye protection, face protection.
P305+P351+P338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313:	If eye irritation persists: Get medical advice/attention.

# Contains:

none

## 2.3 Other hazards:

none

# 3 SECTION 3: Composition/information on ingredients:

Citric Acid	5% - 15%	CAS number: EINECS: REACH Registration number: CLP Classification:	77-92-9 201-069-1 01-2119457026-42 H319 Eye Irrit. 2
Fermentation products of glucose and fatty acids, C18-unsatd., esters with glycerol with yeast (Candida Bombicola), partially hydrolysed	5% - 15%	CAS number: EINECS: REACH Registration number: CLP Classification:	941-809-7 01-2120079365-49 H319 Eye Irrit. 2
Ethanol	< 5%	CAS number: EINECS: REACH Registration number: CLP Classification:	64-17-5 200-578-6 01-2119457610-43 H225 Flam. Liq. 2 H319 Eye Irrit. 2
C8-10 D-glucoside	< 5%	CAS number: EINECS: REACH Registration number: CLP Classification:	68515-73-1 500-220-1 01-2119488530-36 H318 Eye Dam. 1

For the full text of the H & R phrases mentioned in this section, see section 16.

# 4 SECTION 4: First aid measures:

## 4.1 Description of first aid measures:

Always ask medical advice as soon as possible should serious or continuous disturbances occur.

Skin contact:	remove contaminated clothing, rinse with plenty of water, if necessary seek medical attention.
Eye contact:	first prolonged rinsing with water (contact lenses to be removed if this is easily done) then take to physician.
Ingestion:	rinse mouth, do not induce vomiting, take to hospital immediately.
Inhalation:	let sit upright, fresh air, rest and take to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Skin contact:	none
Eye contact:	redness
Ingestion:	diarrhoea, headache, abdominal cramps, sleepiness, vomiting
Inhalation:	none

4.3 Indication of any immediate medical attention and special treatment needed:

none

## 5 SECTION 5: Fire-fighting measures:

#### 5.1 Extinguishing media:

CO2, foam, powder, sprayed water

#### 5.2 Special hazards arising from the substance or mixture:

none

#### 5.3 Advice for firefighters:

Extinguishing agents to be none avoided:

## 6 SECTION 6: Accidental release measures:

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Do not walk into or touch spilled substances and avoid inhalation of fumes, smoke, dusts and vapours by staying up windRemove any contaminated clothing and used contaminated protective equipment and dispose of it safely.

#### 6.2 Environmental precautions:

do not allow to flow into sewers or open water.

#### 6.3 Methods and material for containment and cleaning up:

Contain released substance, store into suitable containers. If possible remove by using absorbent material.

#### 6.4 Reference to other sections:

for further information check sections 8 & 13.

## 7 SECTION 7: Handling and storage:

#### 7.1 Precautions for safe handling:

handle with care to avoid spillage.

#### 7.2 Conditions for safe storage, including any incompatibilities:

keep in a sealed container in a closed, frost-free, ventilated room.

## 7.3 Specific end use(s):

Rinse aid

# 8 SECTION 8: Exposure controls/personal protection:

## 8.1 Control parameters:

Listing of the hazardous ingredients in section 3, of which the TLV value is known

Ethanol 1,907 mg/m³, Isopropanol 997 mg/m³

## 8.2 Exposure controls:

Inhalation protection:	respiratory protection is not required. Use ABEK type gas masks in case of irritating exposure. If necessary, use with sufficient exhaust ventilation.	
Skin protection:	handling with nitril-gloves (EN 374). Breakthrough time: >480' Material thickness: 0,35 mm. Thoroughly check gloves before use. Take of the gloves properly without touching the outside with your bare hands. The manufacturer of the protective gloves has to be consulted about the suitability for a specific work station. Wash and dry your hands.	
Eye protection:	keep an eye-rinse bottle within reach. Tight-fitting safety goggles. Wear a face shield and protective suit in case of exceptional processing problems.	
Other protection:	impermeable clothing. The type of protective equipment depends on the concentration and amount of hazardous substances at the work station in question.	

# 9 SECTION 9: Physical and chemical properties:

## 9.1 Information on basic physical and chemical properties:

Melting point/melting range:	0 °C
Boiling point/Boiling range:	78 °C
pH:	2.7
pH 1% diluted in water:	1
Vapour pressure/20°C,:	5 850 Pa
Vapour density:	not applicable
Relative density, 20°C:	1.034 kg/l
Appearance/20°C:	liquid
Flash point:	62 °C
Flammability (solid, gas):	not applicable
Auto-ignition temperature:	370 °C
Upper flammability or explosive limit, (Vol %):	19.000 %
Lower flammability or explosive limit, (Vol %):	3.000 %
Explosive properties:	not applicable
Oxidising properties:	not applicable
Decomposition temperature:	1
Solubility in water:	completely soluble
Partition coefficient: n- octanol/water:	not applicable

Odour:	characteristic
Odour threshold:	not applicable
Dynamic viscosity, 20°C:	1 mPa.s
Kinematic viscosity, 20°C:	1 mm²/s
Evaporation rate (n-BuAc = 1):	2.000

## 9.2 Other information:

Volatile organic component (VOC):2.50 %Volatile organic component (VOC):25.850 g/l

## 10 SECTION 10: Stability and reactivity:

#### 10.1 Reactivity:

stable under normal conditions.

### 10.2 Chemical stability:

extremely high or low temperatures.

#### 10.3 Possibility of hazardous reactions:

none

### **10.4** Conditions to avoid:

protect from sunlight and do not expose to temperatures exceeding + 50°C.

1

#### 10.5 Incompatible materials:

acids, alkalines, oxidants, reductants

## 10.6 Hazardous decomposition products:

doesn't decompose with normal use

## 11 SECTION 11: Toxicological information:

## 11.1 Information on toxicological effects:

H319 Eye Irrit. 2:

Causes serious eye irritation.

## Calculated acute toxicity, ATE oral: /

Calculated acute toxicity, ATE dermal:

Citric Acid	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5,000 mg/kg ≥ 5,000 mg/kg ≥ 50 mg/l
Fermentation products of glucose and fatty	LD50 oral, rat:	≥ 5,000 mg/kg
acids, C18-unsatd., esters with glycerol with	LD50 dermal, rabbit:	≥ 5,000 mg/kg
yeast (Candida Bombicola), partially hydrolysed	LC50, Inhalation, rat, 4h:	≥ 50 mg/l

Ethanol	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5,000 mg/kg ≥ 5,000 mg/kg ≥ 50 mg/l
C8-10 D-glucoside	LD50 oral, rat: LD50 dermal, rabbit: LC50, Inhalation, rat, 4h:	≥ 5,000 mg/kg ≥ 5,000 mg/kg ≥ 50 mg/l

# 12 SECTION 12: Ecological information:

## 12.1 Toxicity:

Citric Acid	LC50 (Fish):	440 - 760 mg/l (48h)
	LC50 (Daphnia):	1535 mg/l (24h)
	EC50 (Daphnia):	1535 mg/l (24h)
Fermentation products of glucose and fatty acids, C18-unsatd., esters with glycerol with yeast (Candida Bombicola), partially hydrolysed	NOEC (Daphnia):	25 mg/l (21d) (OECD 211)
Ethanol	LC50 (Fish): EC50 (Daphnia): EC50 (Algae):	13000 mg/L (Oncorhynchus mykiss)(96h) 12340 mg/L (48h) 275 mg/L (Chlorella vulgaris)(72h)
C8-10 D-glucoside	LC50 (Fish): EC50 (Daphnia): NOEC (Daphnia): EC50 (Algae):	190 mg/l (96h) (Danio rerio) >100 mg/l (48h) >100 mg/l (72h) 37 mg/l (72 h) (Scenedesmus subspicatus)

## 12.2 Persistence and degradability:

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

## 12.3 Bioaccumulative potential:

	Additional data:
Ethanol	Log Pow: -0,35

## 12.4 Mobility in soil:

Water hazard class, WGK:	1
Solubility in water:	completely soluble

## 12.5 Results of PBT and vPvB assessment:

No additional data available

## 12.6 Other adverse effects:

No additional data available

## 13 SECTION 13: Disposal considerations:

## 13.1 Waste treatment methods:

The product may be discharged in the indicated percentages of utillization, provided it is neutralised to pH 7. Possible restrictive regulations by local authority should always be adhered to.

## 14 SECTION 14: Transport information:

14.1 UN number:

not applicable

## 14.2 UN proper shipping name:

ADR, IMDG, ICAO/IATA not applicable

#### 14.3 Transport hazard class(es):

Class(es):	not applicable
Identification number of the	not applicable
hazard:	

## 14.4 Packing group:

not applicable

## 14.5 Environmental hazards:

not dangerous to the environment

#### 14.6 Special precautions for user:

Hazard characteristics:	not applicable
Additional guidance:	not applicable

## 15 SECTION 15: Regulatory information:

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Water hazard class, WGK:	1
Volatile organic component (VOC):	2.500 %
Volatile organic component (VOC):	25.850 g/l
Composition by regulation (EC) 648/2004:	Nonionic surfactants 5% - 15%

## 15.2 Chemical Safety Assessment:

No data available

## 16 SECTION 16: Other information:

## Legend to abbreviations used in the safety data sheet:

ADR:	The European Agreement concerning the International Carriage of Dangerous Goods by Road	
BCF:	Bioconcentration factor	
CAS:	Chemical Abstracts Service	
CLP:	Classification, Labelling and Packaging of chemicals	
EINECS:	European INventory of Existing Commercial chemical Substances	

Nr.:	number
PTB:	persistent, toxic, bioaccumulative
TLV:	Threshold Limit Value
vPvB:	very persistent and very bioaccumulative substances
WGK:	Water hazard class
WGK 1:	slightly hazardous for water
WGK 2:	hazardous for water
WGK 3:	extremely hazardous for water

#### Legend to the R & H Phrases used in the safety data sheet:

H225 Flam. Liq. 2: Highly flammable liquid and vapour. H318 Eye Dam. 1: Causes serious eye damage. H319 Eye Irrit. 2: Causes serious eye irritation.

## Reason of revision, changes of following items:

not applicable

#### **MSDS** reference number:

ECM-108970,00

This safety information sheet has been compiled in accordance with annex II/A of the regulation (EU) No 2015/830. Classification has been calculated in accordance with European regulation 1272/2008 with their respective amendments. It has been compiled with the utmost care. We cannot, however, accept responsibility for damage, of any kind, that may be caused by using these data or the product concerned. To use this preparation for an experiment or a new application , the user must carry out a material suitability and safety study himself.