



# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

# TCELL - Blue Splash

Revision 8
Revision date 2013-04-14

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	or the substance/mixture and or the company/undertaking
Product name	TCELL - Blue Splash
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products;
Description	TCell - Perfumes, fragrances.
1.3. Details of the supplier of	the safety data sheet
Company	Rubbermaid Commercial Products LLC
Address	Newell Rubbermaid Europe Sàrl
	Chemin de Blandonnet 10 CH-1214 Vernier / Geneva / Switzerland
Web	
vveb Telephone	www.rubbermaid.eu/contact +44 (0)8705 686 824
relephone Fax	+44 (0)2030 279 352
rax Email	sds.CommercialProducts@newellco.com
Local Supplier	sus. Commercial Froducts @ newerico.com
	<del>-</del>
Company	Newell Poland Services Sp. z o. o.
Address	2 UI. Wybickiego
	Manieczki Brodnica
	63-112
	Poland
Web	www.rubbermaid.eu/contact
Telephone	+44 (0)8705 686 824
Fax	+44 (0)2030 279 352
1.4. Emergency telephone nu	ımber
Emergency telephone number	+44 (0)8705 686 824
	Monday till Friday (08:30 - 17:00)
Intended use	
	Fragrancing module designed for use in proprietary automated system.
Further information	
Informing Department	Technical Services Department.
SECTION 2: Hazards ider	tification
2.1. Classification of the subs	stance or mixture
2.1.1. Classification -	Xn; R65 Xi; R38-43 N; R51/53
1999/45/EC	Symbols: Xn: Harmful. N: Dangerous for the environment.



Irritating to skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause

Main hazards

Revision 8 Revision date 2013-04-14

#### 2.1. Classification of the substance or mixture

long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed.

#### 2.2. Label elements

### Symbols

Xn: Harmful. N: Dangerous for the environment.





#### Risk phrases

Contains: C9-12-ISO-alkanes & C11-15-ISO-alkanes (Approx. 70/30), limonene.

R38 - Irritating to skin.

R43 - May cause sensitisation by skin contact.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment

R65 - Harmful: may cause lung damage if swallowed.

#### Safety phrases

S2 - Keep out of the reach of children.

S24 - Avoid contact with skin.

S29 - Do not empty into drains.

S37 - Wear suitable gloves.

# Precautionary Phrases

P10 - Contains citral, scentenal. May produce an allergic reaction.

#### **Further information**

#### Classification system

For mixtures, classification is in compliance with Regulation (EC) 1999/45. The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

#### SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

#### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-12-ISO-alkanes & C11-15-ISO-alkanes (Approx 70/30)		90622-57-4	292-459-0		50 - 60%	Xn; R65
2,6-dimethyloct-7-en-2-ol		18479-58-8	242-362-4		20 - 30%	Xi; R38
D-Limonene	601-029-00-7	5989-27-5	227-813-5		1 - 10%	R10 Xi; R38 R43 N; R50/53
Decanal		112-31-2	203-957-4		1 - 10%	Xi; R38 R52/53
Citral	605-019-00-3	5392-40-5	226-394-6		< 1%	Xi; R38 R43
Lauraldehyde		112-54-9	203-983-6		< 1%	Xi; R38 N; R51/53
Scentenal		86803-90-9			< 1%	Xi; R36-43 N; R51/53

#### **Further information**

Regulation (EU) 453/2010 - Substances in compliance with Regulation (EC) 1272/2008.

C9-12-ISO-alkanes & C11-15-ISO-alkanes (Approx. 70/30) - Flam. Liq. 3: H226; Asp. Tox. 1:

H304; Aquatic Chronic 4: H413.

2,6-Dimethyl-7-octen-2-ol - Skin Irrit. 2: H315; Eye Dam. 2: H319;.

citronellol - Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 2: H319;.

decanal - Skin Irrit. 2 H315.

Lauraldehyde - Skin Irrit. 2: H315; Aquatic Chronic 2: H411;.

D-Limonene - Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1:

H410;.

Citral - Skin Irrit. 2: H315; Skin Sens. 1: H317;.



Revision 8 Revision date 2013-04-14

Further information	
	Scentenal - Skin Sens. 1: H317; Aquatic Chronic 2:H411;.
Additional Information:	Full text for all Risk Phrases mentioned in this section are displayed in Section 16.
SECTION 4: First aid measu	res
4.1. Description of first aid meas	sures
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Remove contaminated clothing. Wash all contaminated clothing before reuse. Wash off immediately with plenty of soap and water. Seek medical attention if irritation or symptoms persist.
Ingestion	Unlikely to occur when used as directed.
4.2. Most important symptoms a	and effects, both acute and delayed
Skin contact	May cause irritation to skin.
4.3. Indication of any immediate	e medical attention and special treatment needed
Eye contact	Seek medical attention.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Carbon dioxide (CO2). Dry chemical. Alcohol resistant foam. Do NOT use water jet.
5.2. Special hazards arising from	n the substance or mixture
	Carbon oxides may be formed in fire conditions.
5.3. Advice for firefighters	
	Wear suitable protective clothing, gloves and eye/face protection.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.
6.2. Environmental precautions	
	Do not flush into surface water. Do not let product contaminate subsoil. Do not allow product to enter drains.
6.3. Methods and material for co	ontainment and cleaning up
	Ensure adequate ventilation. Absorb liquid components with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust).
SECTION 7: Handling and si	torage
7.1. Precautions for safe handling	ng
	Avoid contact with skin and eyes. Ensure adequate ventilation of the working area.
7.2. Conditions for safe storage	, including any incompatibilities
	Keep containers tightly closed. Store in a cool, dry area. Store at temperatures below 30 °C. Protect from heat and direct sunlight. Keep away from sources of ignition - No smoking.
	Do not open by force or throw into fire, even after use.  Do not pierce or burn, even after use.
SECTION 8: Exposure contr	ols/personal protection



8.2. Exposure controls

Revision 8 Revision date 2013-04-14

#### 8.2. Exposure controls



Eye / face protection

Skin protection - Handprotection

Avoid contact with skin. Wear suitable gloves.

safety glasses with side-shields.

Respiratory protection

Occupational exposure controls

Do not breathe gas/fumes/vapour/spray. Do not breathe excessive concentrated vapours.

Wash hands during breaks and at the end of the work.

### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State Colour Odour

Liquid Yellow

Characteristic

Flash point 57 °C

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

Will not decompose if stored and used as recommended.

## 10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

#### 10.4. Conditions to avoid

Do NOT allow to freeze.

Direct sunlight.

Heat, sparks and open flames.

## 10.6. Hazardous decomposition products

Carbon oxides may be formed in fire conditions.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Respiratory or skin sensitisation

Irritation may be possible. May cause sensitisation by skin contact.

#### 11.1.4. Toxicological Information

No data is available on this product.

#### SECTION 12: Ecological information

## 12.3. Bioaccumulative potential

Does not bioaccumulate.

#### 12.5. Results of PBT and vPvB assessment

No data is available on this product.

### 12.6. Other adverse effects

No data available.

## Further information

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or



Revision 8
Revision date 2013-04-14

	Revision date 2013-04-14
Further information	
	sewage system.
SECTION 13: Disposal cons	siderations
General information	
	Dispose of in compliance with all local and national regulations.
Disposal of packaging	, ,
	Do not empty into drains; dispose of this material and its container in a safe way.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	
	UN3082
14.2. UN proper shipping name	
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EXTRACTS, AROMATIC, LIQUID)
14.3. Transport hazard class(es	s)
ADR/RID	9
Subsidiary risk	-
IMDG	9
Subsidiary risk	-
IATA	9
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	Yes
Marine pollutant	Yes
ADR/RID	
Hazard ID	90
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-F
IATA	
Packing Instruction (Cargo)	964
Maximum quantity	450 L
Packing Instruction	964
(Passenger)	
Maximum quantity	450 L
Further information	
Remarks	ADR - Goods are classified as "Limited Quantities" and are therefore excempt from ADR regulations. Check local legislation for domestic transport.
Remarks	IMDG - Goods are classified as "Limited Quantities" and are therefore exempt from IMDG
. Comunico	regulations. Check local regulation for domestic transport.



Revision 8 Revision date 2013-04-14

**Further information** 

Remarks "Limited Quantity".

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations

Perfumes (fragrances) comply with the Standards of the International Fragrance Association (IFRA), amendments 46.

The labelling of this TCELL is to some extend different compared to the classification in the SDS. By way of derogations, mentioned in article 10 §4 and article 12 §3 point b & c, Regulation EC/1999/45 permits the packaging of dangerous preparations for volumes less than 125 ml to be unlabelled or labelled in some other way. This is applicable for preparations classified as harmful, extremely flammable, highly flammable, flammable, irritant, oxidising and/or dangerous to the environment, taking into account aspects like volume (48 mL) of the packaging, packaging of the preparation and application of the preparation when there is no reason to fear any danger to persons handling such preparations or to other persons and to fear any dangers to the environment.

#### **Further information**

COMMISSION REGULATION (EU) No. 453/2010 of 20 May 2010 amending Regulation (EC) No. 1907/2006 of the European Parliament and of the council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No.1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

### SECTION 16: Other information

#### Other information

**Revision** This document differs from the previous version in the following areas:.

15 - Regulations.

Data sources

Exposure Limit Values.

Raw Material Data Sheets.

Text of risk phrases in Section 3

R10 - Flammable

R36 - Irritating to eyes.

R38 - Irritating to skin.

R43 - May cause sensitisation by skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

R65 - Harmful: may cause lung damage if swallowed.

#### General information

Additional information in compliance with Regulation (EC) 1272/2008.

H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.



Revision 8 Revision date 2013-04-14

General information	
	H319 - Causes serious eye irritation.
	H410 - Very toxic to aquatic life with long lasting effects.
	H411 - Toxic to aquatic life with long lasting effects.
	H413 - May cause long lasting harmful effects to aquatic life.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.  *.
Informing Department	Technical Services Department.

