

# SAFETY DATA SHEET

## 1. Identification

Product identifier	CB335Eseries
Other means of identification	Not available.
Recommended use	Inkjet printing
<b>Recommended restrictions</b>	None known.
Company identification	HP 1501 Page Mill Road Palo Alto, CA 94304-1112 United States Telephone 650-857-5020 HP health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

## 2. Hazard(s) identification

==========================	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.
Supplemental information	This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

## 3. Composition/information on ingredients

## Mixtures

Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	70-80
1,5-pentanediol		111-29-5	<7.5
2-pyrrolidone		616-45-5	<7.5
Carbon black		1333-86-4	<5

Composition commentsThis ink supply contains an aqueous ink formulation.<br/>This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard<br/>Communication Standard).

Carbon black is present only in a bound form in this preparation.

4. First-aid measures	
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
Most important symptoms/effects, acute and delayed	Not available.

## 5. Fire-fighting measures

Suitable extinguishing media	CO2, water, dry chemical, or foam
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
Specific methods	None established.
6 Accidental release me	

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate personal protective equipment.
Methods and materials for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

## 7. Handling and storage

Precautions for safe handling	Avoid contact with skin, eyes and clothing.
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.

## 8. Exposure controls/personal protection

## **Occupational exposure limits**

Components	nits for Air Contaminants (29 CFR 1910.1000) Type	Value	
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
US. ACGIH Threshold L Components	imit Values Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Gui	de to Chemical Hazards		
Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m3	
ogical limit values	No biological exposure limits noted for the ingred	lient(s).	

Exposure guidelines	Exposure limits have not been established for this product.
Appropriate engineering controls	Use in a well ventilated area.
Individual protection measure	es, such as personal protective equipment
Eye/face protection	Not available.
Skin protection	
Hand protection	Not available.
Other	Not available.
<b>Respiratory protection</b>	Not available.
Thermal hazards	Not available.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Appearance	
Physical state	Not available.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	7 - 8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not determined
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Other information	
Specific gravity	1 - 1.2
Other information	For other VOC regulatory data/information see Section 15.
VOC (Weight %)	< 146 g/L

## **10. Stability and reactivity**

Reactivity	Not available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Will not occur.

Conditions to avoid	Not available.
Incompatible materials	Incompatible with strong bases and oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics	Not available.	
Information on toxicological e	ffects	
Acute toxicity	Based on available data, the classification criteria are	e not met.
Skin corrosion/irritation	Based on available data, the classification criteria are	e not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are	e not met.
Respiratory or skin sensitization	on	
Respiratory sensitization	Based on available data, the classification criteria are	e not met.
Skin sensitization	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are	e not met.
Carcinogenicity	Based on available data, the classification criteria are	e not met.
	Carbon black is classified as a carcinogen by the IAR 2B) and by the State of California under Proposition organizations indicate that exposure to carbon black bound within a product matrix, specifically, rubber, i bound form in this preparation.	65. In their evaluations of carbon black, both , per se, does not occur when it remains
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Carbon black (CAS 1333-8		enic to humans.
Reproductive toxicity	Based on available data, the classification criteria are	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are	e not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are	e not met.
Aspiration hazard	Based on available data, the classification criteria are	e not met.
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.	
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
Acute		
Oral		
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg
Carbon black (CAS 1333-86-4)		
Acute		
Oral		
LD50	Rat	> 8000 mg/kg

## 12. Ecological information

Aquatic toxicity

Not expected to be harmful to aquatic organisms.

	Species	Test Results
	•	
LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
	Species	Test Results
)		
EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Not available.		
Not available.		
anol / water (l	<b>og Kow)</b> -0.85	
Not available.		
Not available.		
	) EC50 Not available. Not available. <b>canol / water (l</b> Not available.	LC50 Fathead minnow (Pimephales promelas) Species EC50 Water flea (Daphnia pulex) Not available. Not available. canol / water (log Kow) -0.85 Not available.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

## 14. Transport information

#### DOT

Easters' alter

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

### ADR

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## 15. Regulatory information

**US federal regulations** US TSCA 12(b): Does not contain listed chemicals.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA) т., 42.

Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazar	dous substance
Not listed.	
SARA 311/312	No

SARA 311/312	
Hazardous chemical	

Other federal regulations Safe Drinking Water Act (SDWA)	Not regulated.
US state regulations	
US. Massachusetts RTK - S	Substance List
2-pyrrolidone (CAS 616-4 Carbon black (CAS 1333- <b>US. New Jersey Worker an</b>	
Carbon black (CAS 1333- US. Pennsylvania Worker a	86-4) and Community Right-to-Know Law
2-pyrrolidone (CAS 616-4 Carbon black (CAS 1333-	5-5)
US. California Proposition	65
US - California Propos	ition 65 - CRT: Listed date/Carcinogenic substance
CARBON BLACK (AIR	BORNE, UNBOUND PARTICLES Listed: February 21, 2003 E [<= 10 MICROMETERS]) (CAS
Other information	VOC content (less water, less exempt compounds) = < 781 g/L (U.S. requirement, not for emissions) VOC data based on formulation (Organic compounds minus solids)
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
16. Other information, in	ncluding date of preparation or last revision
Issue date	28-Mar-2015
Revision date	25-Aug-2015
Version #	03
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP 1501 Page Mill Road Palo Alto, CA 94304-1112 US Direct 1-650-857-5020

#### **Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds