

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- \* 1.1 Product identifier Trade name: PRR-SJ7B, LY-564.656, LY-5.366.198
- \* Article number: 100000000526
- \* Registration number  
The ingredients of this ink have been pre-registered according to 1907/2006/EC (REACH)
- \* 1.2 Relevant identified uses of the substance or mixture and uses advised against  
Currently no such applications are identified
- \* Application of the substance / the mixture Ball Pen Ink
- \* 1.3 Details of the supplier of the safety data sheet
- \* Manufacturer/Supplier:  
SUHAN Corporation  
17, Cheongyong-1 gil, Hoengseong-eup,  
Hoengseong-gun, Gangwon-do, Korea  
Phone +82-33-342-0601  
Facsimile +82-33-342-0020
- \* Further information obtainable from:  
Technical Service, Ms. Hyunjung Koh  
Phone +82-33-342-0601  
E-mail hjkoh@suhanCorp.co.kr
- \* 1.4 Emergency telephone number:  
GBK Gefahrgut Büro GmbH  
++49 (0) 6132 / 84463  
Ingelheim, Deutschland

## SECTION 2: Hazards identification

- \* 2.1 Classification of the substance or mixture
- \* Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- \* 2.2 Label elements
- \* Labelling according to Regulation (EC) No 1272/2008  
The product is classified and labelled according to the CLP regulation.
- \* Hazard pictograms



GHS05



GHS07

- \* Signal word Danger
- \* Hazard-determining components of labelling:  
Oleoylsarcosinic acid  
C. I. Solvent Blue 4 < 0,1% Michler's Ketone
- \* Hazard statements  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H317 May cause an allergic skin reaction.
- \* Precautionary statements  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see on this label).  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

EU

Trade name: PRR-SJ7B

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**  
Mixture of the following substances, containing non-hazardous substances and colouring agents.
- **Description:** Mixture of substances listed below with nonhazardous additions.

• **Dangerous components:**

CAS: 122-99-6 EINECS: 204-589-7	2-Phenoxyethanol ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	10-25%
CAS: 107-41-5 EINECS: 203-489-0	2-methylpentane-2,4-diol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	2,5-10%
CAS: 110-25-8 EINECS: 203-749-3	Oleoylsarcosinic acid ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H332; Skin Irrit. 2, H315	2,5-10%
CAS: 6786-83-0 EINECS: 229-851-8	C. I. Solvent Blue 4 < 0,1% Michler's Ketone ⚠ Eye Dam. 1, H318; ⚠ Skin Sens. 1B, H317	2,5-10%
CAS: 84281-86-7 EINECS: 282-630-8	C. I. Solvent Violet 8 ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 4, H413	2,5-10%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.

(Contd. on page 3)

EU



Trade name: PRR-SJ7B

(Contd. of page 2)

- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.
- Respiratory protection:  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:
 

Form:	Fluid
Colour:	According to product specification
Odour:	Product specific
Odour threshold:	Not determined.
- Important information on protection of health and environment, and on safety.
 

-	-
-	-
- pH-value at 20 °C: 6,3
- Change in condition
 

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	185 °C
- Flash point: 94 °C
- Flammability (solid, gaseous): Not applicable.
- Ignition temperature: 260 °C

(Contd. on page 4)

EU

Trade name: PRR-SJ7B

(Contd. of page 3)

• <b>Decomposition temperature:</b>	Not determined.
• <b>Self-igniting:</b>	Product is not selfigniting.
• <b>Danger of explosion:</b>	Not determined.
• <b>Explosion limits:</b>	
Lower:	2,6 Vol %
Upper:	12,6 Vol %
• <b>Vapour pressure at 20 °C:</b>	0,1 hPa
• <b>Density:</b>	Not determined.
• <b>Relative density</b>	Not determined.
• <b>Vapour density</b>	Not determined.
• <b>Evaporation rate</b>	Not determined.
• <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
• <b>Partition coefficient (n-octanol/water):</b>	Not determined.
• <b>Viscosity:</b>	
Dynamic at 20 °C:	16000 mPas
Kinematic:	Not determined.
• <b>Solvent content:</b>	
Organic solvents:	47,8 %
Solids content:	44,6 %
• <b>9.2 Other information</b>	The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

**122-99-6 2-Phenoxyethanol**

Oral LD50 2740 mg/kg (rat)

**110-25-8 Oleoylsarcosinic acid**

Oral LD50 9200 mg/kg (rat)

**84281-86-7 C. I. Solvent Violet 8**

Oral LD50 700 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** Sensitisation possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

## SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

**6786-83-0 C. I. Solvent Blue 4 < 0,1% Michler's Ketone**

EC50 / 48h 0,025 mg/l (Daphnie)

- **12.2 Persistence and degradability** No further relevant information available.

(Contd. on page 5)  
EU



Trade name: PRR-SJ7B

(Contd. of page 4)

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
  - **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
  - **European waste catalogue**
- |           |   |
|-----------|---|
| 08 00 00  | WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS |
| 08 01 00  | wastes from MFSU and removal of paint and varnish   |
| 08 01 13* | sludges from paint or varnish containing organic solvents or other dangerous substances   |
- **Uncleaned packaging:**
  - **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** Void
- **14.4 Packing group**
- **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:**
- **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** -

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
  - **Directive 2012/18/EU**
  - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
  - **National regulations:**
  - **Technical instructions (air):**
- | Class | Share in % |
|-------|------------|
| NK    | 25-50      |
- **Waterhazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.
  - **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H302 Harmful if swallowed.  
H315 Causes skin irritation.

(Contd. on page 6)

EU

Trade name: PRR-SJ7B

(Contd. of page 5)

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H413 May cause long lasting harmful effects to aquatic life.

• **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ELINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

Aquatic Acute 1: hazardous to the aquatic environment - Acute Hazard, Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

• **\* Data compared to the previous version altered.**

EU