



Description	LED Office Lamp featuring Qi Charger
Name	Qi LED Lamp
Code Reference	CLED-0800
Target Market	Office / Home

Product Characteristics	Customer advantages			
Structure & Control Switches				
Base: Rectangular, weighted base (1kg) made from anodised aluminium	 ⇒ Simple and ergonomic design ⇒ Reduction in packaging ⇒ Easy assembly thanks to magnetic connector jack on base ⇒ Excellent stability 			
QI charger: Wireless qi charger integrated into the base	 ⇒ For rapid and practical charging – simply place your qi compatible telephone on the base of the lamp. ⇒ Certified by standards adopted by SAMSUNG, NOKIA, MOTOROLA, etc 			
Port USB: 5V2A found on the back of the base	⇒ Pratical and discreet for rapid charging of connected devices			
Arm: Hinged in aluminium Articulations: 1 at base of the lamp; 1 to set height; 1 to turn lamp head	 ⇒ Adjust easily the height and position of the lamp ⇒ Lamp can be positioned exactly to meet your lighting requirements 			
Control switches: 2 tactile switches on the lower part of the arm, 1 for on/off and dimmer facility, 1 for colour variation (warm or cold white)	 ⇒ Easy utilisation of the lamp with the touch of a finger ⇒ Adjustable brightness and colour to match your exact requirements. 			
Small LED indicator on base: Indicates the mode of the wireless charging base. (White = phone is charging / Blue = Full battery).	⇒ Quick and easy visual indication of charging status			
Consumation and Power				
Energy Class: A+ Electric Consumption: 7.2 kW / 1000h Energy Efficiency: 49 lm / W	 ⇒ Reduction of energy costs ⇒ Environmentally friendly 			
Power: Exterior transformer built into plug Input AC 240-100 V / 50-60 Hz; Output DC 24 V 1.5A; Cable length: 2 m	 ⇒ Space saving size ⇒ Easy connection to electricity source 			
<u>Lamp Insulation:</u> Class III protection against electric shocks	⇒ Safe and secure			

Page 1/3 30/08/2016




Source: 48 white SMD LED 0.5W

Luminous flux max = 350 lm

IRC > 80 Lifespan: 50 000 h

Meets standard EN62471 (classe « without risk »)

Colour temperature (3000k to 5500k)



Luminosity: max 1040 lux at 40 cm

The latest LED technology for the best lighting quality.

No maintenance required such as changing bulbs \Rightarrow

Photobiological safety of the source

Perfect lighting for average sized offices.

- Dimmer function ensures perfect adaptation to all working requirements
- A homogenous and large lighting area for excellent comfort of use



Certifications and Guarantee

Certification according to current regulations by TUV; CE marking











Guarantee of a product respecting all European regulations

QΙ Guarantee:



A high quality product with excellent after sales support if required

Why list this product in your catalogue?

The Qi LED lamp greatly helps professional life with a soft touch dimmer and colour intensity control, a lighting power of 7.2 W, a USB 5V 2A port for ultra-fast charging, and an integrated wireless charging station (Qi certified technology).

This is a truly revolutionary product that all distributors will gradually need to include in their assortment, and that competitors are sure to follow in a few months! In summary, a very practical invention not to be missed!

Suggested catalogue text


LED lamp with built-in wireless charging station, Very robust (metal joints) and ultra-powerful (7.2 W), equipped with a soft touch dimmer (max 350 lm) and colour intensity control (3000k to 5500k), with a lifespan of over 50 000 hours. With this lamp you can also charge two smartphones simultaneously because it has a built-in USB port (5V2A ultra-fast charging) and a wireless phone charger (Qi Certified, compatible with all smartphones and Qi certified devices). * If your smartphone is not fitted with a wireless charging option, simply add a Qi charging case (average cost around €15 to €25 depending on the brand).

	Barcode
	3462159009568

Unit of Sale	1 lamp in box	
	Arm : 315 + 380,	
Dimensions of Product (mm)	Ø 20 x 30	
	Base : 180 x 115 x 10 mm	
Weight of Product	1.4 KG	
Packed by	1	
Dimensions Unit of sale	450 x 140 x 80 mm	
Weight unit of sale	1.73 KG	
Pallet : Number units of sale	320	
Pallet: L x W x H (mm)	1200 x 1000 x 2200	

Page 2/3 30/08/2016





Page 3/3 30/08/2016