

**CODICE PRODOTTO: 2299400****C&G DeepTril1**

Per maneggiare materiali in presenza di unto o grasso.
Per maneggiare materiali all'aperto in ambienti umidi. Per lavori di assemblaggio in ambienti grassi/unti.

Honeywell**Presentazione generale****Reference Number**

2299400

Tipo di prodotto

Guanti

Gamma

General purpose

Line

Heavy handling

Marchio

Honeywell

Settore

- Settore
- Automotive and Part Manufacturer
- Logistics
- Manutenzione
- Mining and Quarrying
- Offshore
- Transportation

Utilizzo del prodotto

Per maneggiare materiali in presenza di unto o grasso. Per maneggiare materiali all'aperto in ambienti umidi. Per lavori di montaggio in ambienti grassi/unti.

Funzioni e vantaggi**Caratteristiche**

Guanto di maglia in poliammide nero

Rivestimento completo in schiuma di nitrile nero.

Polso di maglia elasticizzato.

Misura 13.

Lunghezza : 25 cm

Vantaggi**COMFORT**

La costruzione ergonomica a maglia senza cuciture si adatta meglio alla forma naturale della mano per una maggiore resistenza e durata e un comfort superiore

Il particolare filato che non lascia residui lo rende adatto alle applicazioni più sofisticate, ed è facile da lavare per un uso prolungato.

La maglia serrata conferisce al guanto un supporto perfetto, limita la penetrazione dello sporco e consente di sentire l'oggetto maneggiato.

Il rivestimento in schiuma lascia respirare la mano.

La schiuma di nitrile consente una buona presa.

Il polso a maglia elasticizzato dà al guanto un buon supporto.

RESISTENZA

Il rivestimento in nitrile offre resistenza all'abrasione e impermeabilità agli oli di livello superiore. IGIENE

Il colore nero è adatto al lavoro in presenza di sporco.

Descrizione tecnica

Descrizione

CATEGORIA CE: Rischi intermedi II

In conformità alle norme:

EN 420-2003 Norme di base

EN 388-2003 Rischi meccanici

CARATTERISTICHE:

Guanto di maglia in poliammide nero

Rivestimento completo in schiuma di nitrile nero.

Polso di maglia elasticizzato.

Misura 13.

Lunghezza : 25 cm

Tecnologia del prodotto

Rivestimento lavorato a maglia

Misura

13

Glove/liner color

Nero

Tipo di rivestimento

schiuma di nitrile

Colore del rivestimento

Nero

Lunghezza

25 cm

Innocuità

In conformità agli standard europei

Presa

Classe 5

taglie

Da 7 a 11

EN 388 - Mechanical Hazards Abrasion Resistance

Resistenza all'abrasione	4
Resistenza al taglio (test taglio)	1
Resistenza alle lacerazioni	2
Resistenza alla perforazione	1

Packaging Label

etichettatura

CE HONEYWELL

2299400 XX

EN 420

EN 388 : 4121

Certificazioni

 Dichiarazione di conformità CE

Categoria DPI

2

Quality Assurance

ISO 9001 / 2000

Numero certificazione CE

0075/797/162/08/14/0749 EXT 01/08/14

Attestato CE

 EC Attestation

Numero attestato CE

0075/797/162/08/14/0749 EXT 01/08/14

Informazioni aggiuntive

User Manual

UI 102

Tabella di controllo utente

102

Manutenzione

Informazioni per la conservazione

Confezione minima: 10 paia.

Scatole da 100 paia.

Istruzioni per la cura

Questo articolo può essere lavato. Per le istruzioni relative al lavaggio, contattare Honeywell Safety Products.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/08/14/0749 - EXT 01/08/14

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : 22 994 00

* manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on August 06th, 2014

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 22 994 00

Major Variant of the model : 22 995 00

Dated : AUGUST 2014

5 Fingers gloves, Nitrile coating on polyamid liner.

Available sizes :

06/XS 07/S 08/M 09/L 10/XL 11/XXL

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	black	Nitrile		0,7-0,8 mm
BACK	black	Nitrile		0,7-0,8 mm
LINING	black	Polyamide	15	
	Black	Elastic band		
CUFF	black	Nitrile		0,7-0,8 mm
	Black	Elastic yarn	15	
	black	Polyamide	15	
BINDING	Black	Polyester/PU		



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1309-15705/1 1309-15449/1	
Azo		1309-15705/1 1406-10502/1	
EN 388		1309-15705/1 1406-10502/1	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1

The levels of performance have been measured on the palm




3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 22 994 00
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:





Dichiarazione di conformità CE

Il produttore o il suo rappresentante legale nella CE:

Honeywell Safety Products Europe

Dichiara che il Dispositivo di protezione individuale qui descritto è conforme alle Direttive Europee 89/686/CEE:

Designazione: C&G DeepTril1

Riferimento: 2299400

Normative: EN 388, EN 420

Questo Dispositivo di protezione individuale è l'oggetto della certificazione CE riportata di seguito:

0075/797/162/08/14/0749 EXT 01/08/14

Consegnata da:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Redatta in Roissy, in data 27/11/2017

Per: Fabrice beaugeard

Divisione: Guanti

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses

BP 55288 Villepinte - 95958 ROISSY CDG CEDEX

SAS au capital 17 750 000 € - Siret 348 882 307 00137

Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com