

**SAFETY DATA SHEET**  
**LYRECO MULTI PURPOSE FOAM CLEANER 520ML/400ML NET**

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name LYRECO MULTI PURPOSE FOAM CLEANER 520ML/400ML NET  
Product No. 1, 861, 342

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Identified uses Cleaning Product  
Uses advised against At this moment in time we do not have information on use restrictions. They will be included in this safety data sheet when available

**1.3. Details of the supplier of the safety data sheet**

Supplier LYRECO  
Rue du 19 mars 1962, F-59770  
MARLY  
FRANCE  
+33 (0) 3 27 23 64 00  
msds@lyreco.com

**1.4. Emergency telephone number**

+33 (0) 3 27 23 64 00 This number is serviced during office hours only

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

Classification (1999/45/EEC) Not classified.

**Human health**

Contact with liquefied gas might cause frostbites, in some cases with tissue damage.

**2.2. Label elements**

**Risk Phrases**

NC Not classified.

**Safety Phrases**

A1 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.  
S23 Do not breathe vapour/spray.  
S51 Use only in well-ventilated areas.  
S2 Keep out of the reach of children.

**2.3. Other hazards**

Not Classified as PBT/vPvB by current EU criteria.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

PROPAN-2-OL	1-5%
CAS-No.: 67-63-0	EC No.: 200-661-7
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	Classification (67/548/EEC) F;R11 Xi;R36 R67

## LYRECO MULTI PURPOSE FOAM CLEANER 520ML/400ML NET

<b>ALKYLBENZENE SUPLHONIC ACID SODIUM SALT</b>		<b>1-5%</b>
<b>CAS-No.: 85117-50-6</b>	<b>EC No.: 285-600-2</b>	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Classification (67/548/EEC) Xn;R22. Xi;R38,R41.	
<b>DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; Kerosine - UNSPECIFIED</b>		<b>1-5%</b>
<b>CAS-No.: 64742-47-8</b>	<b>EC No.: 265-149-8</b>	
Classification (EC 1272/2008) Asp. Tox. 1 - H304	Classification (67/548/EEC) Xn;R65	
<b>2-BUTOXYETHANOL</b>		<b>1-5%</b>
<b>CAS-No.: 111-76-2</b>	<b>EC No.: 203-905-0</b>	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC) Xn;R20/21/22 Xi;R36/38	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### Composition Comments

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels. Ingredients are registered on AICS

### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

##### Inhalation

Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

##### Ingestion

DO NOT INDUCE VOMITING! Rinse mouth thoroughly.

##### Skin contact

Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

##### Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### Inhalation

In high concentrations, vapours are anaesthetic and may cause headache, fatigue, dizziness and central nervous system effects.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

**LYRECO MULTI PURPOSE FOAM CLEANER 520ML/400ML NET****Extinguishing media**

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

**5.2. Special hazards arising from the substance or mixture****Hazardous combustion products**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

**Unusual Fire & Explosion Hazards**

Aerosol cans may explode in a fire.

**Specific hazards**

Vapours are heavier than air and may travel along the floor and in the bottom of containers. Vapours may be ignited by a spark, a hot surface or an ember.

**5.3. Advice for firefighters****Special Fire Fighting Procedures**

Move container from fire area if it can be done without risk.

**Protective equipment for fire-fighters**

Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

Avoid inhalation of vapours and contact with skin and eyes.

**6.2. Environmental precautions**

Do not discharge into drains, water courses or onto the ground.

**6.3. Methods and material for containment and cleaning up**

Absorb in vermiculite, dry sand or earth and place into containers.

**6.4. Reference to other sections**

Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards. Collect and dispose of spillage as indicated in section 13.

**SECTION 7: HANDLING AND STORAGE****7.1. Precautions for safe handling**

Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

**7.2. Conditions for safe storage, including any incompatibilities**

Store at moderate temperatures in dry, well ventilated area.

**7.3. Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
2-BUTOXYETHANOL	WEL	25 ppm(Sk)	123 mg/m3	50 ppm(Sk)		
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250 mg/m3	

WEL = Workplace Exposure Limit.

**LYRECO MULTI PURPOSE FOAM CLEANER 520ML/400ML NET****PROPAN-2-OL (CAS: 67-63-0)****DNEL**

Industry	Dermal	888	mg/kg/day
Industry	Inhalation.	500	mg/m <sup>3</sup>
Consumer	Dermal	319	mg/kg/day
Consumer	Inhalation.	89	mg/m <sup>3</sup>
Consumer	Oral	26	mg/kg/day

**PNEC**

Freshwater	140.9	mg/l
Marinewater	140.9	mg/l
Sediment	552	mg/kg
Soil	28	mg/kg

**8.2. Exposure controls****Process conditions**

Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station.

**Engineering measures**

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

**Respiratory equipment**

In case of inadequate ventilation use suitable respirator. EN14387

**Hand protection**

Use suitable protective gloves if risk of skin contact. Nitrile gloves are recommended. Gloves should conform to EN374

**Eye protection**

Wear approved safety goggles. EN166

**Other Protection**

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

**Hygiene measures**

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. **DO NOT SMOKE IN WORK AREA!**

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

Appearance	Aerosol. Liquid
Colour	Colourless.
Odour	Characteristic.
Solubility	Soluble in water.
Initial boiling point and boiling range (°C)	>100
Relative density	0.995 @ 20 °c
Vapour pressure	@ °c
pH-Value, Conc. Solution	7 - 8

**9.2. Other information**

Volatility Description	Volatile
------------------------	----------

**SECTION 10: STABILITY AND REACTIVITY****10.1. Reactivity**

There are no known reactivity hazards associated with this product.

**10.2. Chemical stability**

Stable under normal temperature conditions and recommended use.

**10.3. Possibility of hazardous reactions**

Not available.

**Hazardous Polymerisation**

Will not polymerise.

**10.4. Conditions to avoid**

Avoid heat, flames and other sources of ignition. Avoid contact with acids and alkalis.

## LYRECO MULTI PURPOSE FOAM CLEANER 520ML/400ML NET

### 10.5. Incompatible materials

#### Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

### 10.6. Hazardous decomposition products

Fire or high temperatures create: Carbon monoxide (CO). Hydrogen fluoride (HF). Carbonyl fluoride

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Other Health Effects

This substance has no evidence of carcinogenic properties.

#### General information

No specific health warnings noted.

#### Inhalation

High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

## SECTION 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

Not regarded as dangerous for the environment.

### 12.1. Toxicity

#### Acute Toxicity - Fish

No information required.

#### Acute Toxicity - Aquatic Invertebrates

No information required.

#### Acute Toxicity - Aquatic Plants

No information required.

#### Acute Toxicity - Microorganisms

No information required.

### 12.2. Persistence and degradability

#### Degradability

There are no data on the degradability of this product.

### 12.3. Bioaccumulative potential

#### Bioaccumulative potential

No data available on bioaccumulation.

### 12.4. Mobility in soil

#### Mobility:

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

### 12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

### 12.6. Other adverse effects

Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

#### General information

Do not puncture or incinerate even when empty.

### 13.1. Waste treatment methods

Empty containers must not be burned because of explosion hazard. Dispose of waste and residues in accordance with local authority requirements.

## LYRECO MULTI PURPOSE FOAM CLEANER 520ML/400ML NET

## SECTION 14: TRANSPORT INFORMATION

**General** This product is packed in accordance with the Limited Quantity Provisions of CDGCPL2, ADR and IMDG. These provisions allow transport of aerosols of less than 1litre packed in cartons of less than 30kg gross to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed must show the following

**14.1. UN number**

UN No. (ADR/RID/ADN)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950

**14.2. UN proper shipping name**

Proper Shipping Name	AEROSOLS
----------------------	----------

**14.3. Transport hazard class(es)**

ADR/RID/ADN Class	2
ADR/RID/ADN Class	Class 2: Gases
ADR Label No.	2.2
IMDG Class	2.2
ICAO Class/Division	2.2
Transport Labels	

**14.4. Packing group**

ADR/RID/ADN Packing group	N/A
IMDG Packing group	N/A
ICAO Packing group	N/A

**14.5. Environmental hazards**

Environmentally Hazardous Substance/Marine Pollutant  
No.

**14.6. Special precautions for user**

EMS	F-D, S-U
Tunnel Restriction Code	(E)

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

## SECTION 15: REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Uk Regulatory References**

Chemicals (Hazard Information & Packaging) Regulations.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

**LYRECO MULTI PURPOSE FOAM CLEANER 520ML/400ML NET****Environmental Listing**

Rivers (Prevention of Pollution) Act 1961. Control of Pollution (Special Waste Regulations) Act 1980.

**Approved Code Of Practice**

Classification and Labelling of Substances and Preparations Dangerous for Supply.

**Guidance Notes**

Workplace Exposure Limits EH40.

**EU Legislation**

System of specific information relating to Dangerous Preparations. 2001/58/EC.

Dangerous Preparations Directive 1999/45/EC.

Dangerous Substance Directive 67/548/EEC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

**Authorisations (Title VII Regulation 1907/2006)**

No specific authorisations are noted for this product.

**Restrictions (Title VIII Regulation 1907/2006)**

No specific restrictions of use are noted for this product.

**15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

**SECTION 16: OTHER INFORMATION****Revision Comments**

Revised in accordance with CHIP3 and EU Directives 1999/45/EC and 2001/58/EC

<b>Issued By</b>	Helen O'Reilly
<b>Revision Date</b>	FEBRUARY 2014
<b>Revision</b>	0
<b>SDS No.</b>	13252

**Risk Phrases In Full**

R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R65	Harmful: may cause lung damage if swallowed.
R11	Highly flammable
R36/38	Irritating to eyes and skin.
R36	Irritating to eyes.
R38	Irritating to skin.
NC	Not classified.
R41	Risk of serious damage to eyes.
R67	Vapours may cause drowsiness and dizziness.

**Hazard Statements In Full**

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

## LYRECO MULTI PURPOSE FOAM CLEANER 520ML/400ML NET

### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.