MSDS #:

Revision Date: February 29, 2012

Page 1 of 8 IC1453-0404

0620B

Product Code:

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **SECTION 1** COMPANY/UNDERTAKING

Product Identifier:

Canon Ink Tank CLI-8BK **Product Name:**

0620B **Product Code:**

Relevant Identified Uses: Ink for Ink Jet Printer

Details of Supplier of Safety Data Sheet:

Canon Europa NV Supplier:

Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands Address:

Telephone Number: <u>+31 20 5458545</u>, +31 20 5458222

www.canon-europe.com, ceu-Reach@canon-europe.com E-mail Address:

DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 19240;

Emergency Telephone Number: BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48;

UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31

Manufacturer: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2 HAZARDS IDENTIFICATION

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

US Regulatory Status under FHSA:

Not classified as hazardous.

US Label Elements under FHSA:

Signal Word: Not required

Hazard Warning: Not required

Not required **Safety Advice:**

Hazardous Component: Not required

EU Classification under 1999/45/EC:

Not classified as dangerous.

EU Label Elements under 1999/45/EC:

Symbol & Indication: Not required

R-Phrase: Not required

S-Phrase: Not required

Dangerous Component: Not required

Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Not required

Other Hazards:

None



MSDS #:

Page 2 of 8 IC1453-0404

Product Code: 0620B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: Mixture

Ingredient(s):

Ingredient(s): Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration Range (%)	EU Classification according to 67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other
			Symbol/ Indication of Danger	R-Phrase*1	Hazard Class/ Category Code	Hazard Statement*1	Hazards*2
Glycerin	56-81-5 / 200-289-5	5 - 10	None	None	None	None	(1)
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / Harmful	R22	Acute Tox. 4	H302	(1)
Ethylene urea	120-93-4 / 204-436-4	5 - 10	Xi / Irritant	R36	Eye Irrit. 2	H319	
Substituted naphthalene sulfonic acid	Confidential	1 - 5	Xi / Irritant	R41	Eye Dam. 1	H318	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

^{*1} Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Date of Issue: April 22, 2005 Revision Date: February 29, 2012

^{*2} The following substance(s) is (are) marked with (1), (2) and/or (3)

⁽¹⁾ Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

⁽²⁾ PBT substance or vPvB substance under Regulation (EC) No 1907/2006

⁽³⁾ Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

MSDS #: _ Product Code: Page 3 of 8 IC1453-0404

0620B

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Most Important Symptoms and Effects, both Acute and Delayed:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Eye:

May cause moderate irritation. (See SECTION 11)

Chronic Effects:

Not identified

Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Hazards:

None

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Advice for Fire-fighters:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Date of Issue: April 22, 2005

Revision Date: February 29, 2012



Page 4 of 8

		MSDS #:	101433-040
MATERIAI	SAFETY DATA SHEET	Product Code:	06201

SECTION 7 HAND	LING AND STORAC	GE	
Precautions for Safe Hand	lling:		
Use with adequate ventil			
Avoid contact with skin,	•		
In case of contact, wash	out the contaminated a	area immediately.	
Conditions for Safe Storag	ge, Including Any Inc	ompatibilities:	
Keep in a cool and dry p	lace.		
Protect from sunlight.			
Keep out of the reach of	children.		
Specific End Uses:			
Ink for Ink Jet Printer.			
For more information, pl	lease refer to the instru	ction of this product.	
SECTION 8 EXPOS	SURE CONTROLS /	PERSONAL PROT	ECTION
Control Parameters:	USA	ACGIH TLV	EU OEL
	OSHA PEL		20 022
Product (Ink)	Not established	Not established	Not established
Glycerin	Glycerin mist: TWA 15 mg/m ³	Glycerin mist:	Not established
	(Total dust)	TWA 10 mg/m ³	
	TWA 5 mg/m ³		
	(Respirable fraction)		
Ethylene glycol	Not established	aerosol:	TWA 20 ppm,
Zarytene gryeer	T (or established	Ceiling 100 mg/m ³	52 mg/m ³
			STEL 40 ppm,
			104 mg/m ³

Exp	osure Controls:					
Engineering Controls: No special ventilation equipment is needed under intended use of this product.						
I	Individual Protection Measures:					
	Eye/Face Protection	n: Required	Not Required			
	Skin Protection:	☐ Required	Not Required			
	Respiratory Protec	tion: Required	Not Required			

Date of Issue: April 22, 2005

Revision Date: February 29, 2012

Page 5 of 8 IC1453-0404 MSDS #:

Revision Date: February 29, 2012

MATERIAL SAFETY DATA SHEET Product Code: 0620B PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9 Information on Basic Physical and Chemical Properties:** Appearance: Black liquid Odor: Slight odor 8 - 10 pH: **Melting Point/Freezing Point (°C):** Not available **Initial Boiling Point and** Not available **Boiling Range (°C):** Flash Point(°C): None (Tag. Closed Cup.) Not available **Evaporation Rate:** Neither flammable nor combustible. Flammability: Upper/Lower Flammable or **Explosive Limits:** Not available Vapor Pressure: Not available Vapor Density: Not available **Relative Density:** 1.0 - 1.1Water Solubility: Miscible **Fat Solubility:** Not available Partition Coefficient (n-Octanol/Water): Not available **Auto-ignition Temperature (°C):** Not available **Decomposition Temperature**(${}^{\circ}$ C): Not available Viscosity (mPa s): 1 - 5 None (Estimate) **Explosive Properties: Oxidizing Properties:** None (Estimate) Other Information: Not available **SECTION 10** STABILITY AND REACTIVITY Reactivity: None **Chemical Stability:**

Possibility of Hazardous Reactions: None

Conditions to Avoid: None

Incompatible Materials: Acids, bases, oxidizing materials and reducing agents

Hazardous Decomposition Products: CO, CO2, NOx and SOx

MSDS #: __ Product Code:

IC1453-0404

0620B

Page 6 of 8

SECTION 11 TOXICOLOGICAL INFORMATION

Information on Toxicological Effects:

Acute Toxicity:

Inhalation:

Not available

Ingestion:

 $LD_{50} > 2000 \text{ mg/kg (rat)}$

OECD Guidelines No. 423 (2001), 96/54/EC Method B1 tris

Corrosivity/Irritation:

Skin:

Not irritant (rabbit)

OECD Guidelines No. 404 (2002), 92/69/EEC Method B4

Eye:

Moderately irritating (rabbit)

OECD Guidelines No. 405 (2002), 92/69/EEC Method B5

Sensitization:

Skin:

Non-sensitizer (guinea pig)

OECD Guidelines No. 406 (1992), 96/54/EC Method B6

Repeated Dose Toxicity:

Not available

Carcinogenicity:

Not available

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Toxicity for Reproduction:

Not available

Other Information:

Not available

Date of Issue: April 22, 2005

Revision Date: February 29, 2012

MSDS #: ___

IC1453-0404

Page 7 of 8

Product Code: 0620B

SECTION 12 ECOLOGICAL INFORMATION

Toxicity: Not available

Persistence and Degradability: Not available

Bioaccumulative Potential: Not available

Mobility in Soil: Not available

Results of PBT and vPvB

No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under

Assessment: Regulation (EC) No 1907/2006.

Other Adverse Effects: Not available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Disposal should be subject to federal, state and local laws.

SECTION 14 TRANSPORT INFORMATION

UN Number: None

UN Proper Shipping Name: None

Transport Hazard Class: None

Packing Group: None

Environmental Hazards: Not classified as environmentally hazardous under UN Model Regulations and marine

pollutant under IMDG Code.

Special Precautions for User: None

SECTION 15 REGULATORY INFORMATION

< USA Information >

SARA Title III §313:

Chemical Name Weight %

"Ethylene glycol" (107-21-1) 5 - 10

California Proposition 65:

Chemical Name Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

Restriction: Not regulated

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Others: None

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

Date of Issue: April 22, 2005 Revision Date: February 29, 2012



MSDS #:

IC1453-0404

Page 8 of 8

Product Code: 0620B

SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC>

R22: Harmful if swallowed.

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

<EU Hazard statement according to (EC) No 1272/2008>

H302: Harmful if swallowd. H318: Causes serious eye damage.

H319: Causes serious eye irritation.

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and

2009/161/EU

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue: April 22, 2005 Revision Date: February 29, 2012