MSDS #: \_\_\_\_

Revision Date: November 17, 2011

Product Code:

Page 1 of 8 IC3162-0101 0621B

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

**Product Identifier:** 

**Product Name:** Canon Ink Tank CLI-8C

**Product Code:** 0621B

Relevant Identified Uses: Ink for Ink Jet Printer

**Details of Supplier of Safety Data Sheet:** 

Supplier: Canon Europa NV

Address: Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands

**Telephone Number:** +31 20 5458545, +31 20 5458222

COMPANY/UNDERTAKING

E-mail Address: www.canon-europe.com, ceu-Reach@canon-europe.com

DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 19240;

Emergency Telephone Number: BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48;

UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31

**Manufacturer:** Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2 HAZARDS IDENTIFICATION

**Emergency Overview:** 

Ink tank containing cyan liquid ink with slight odor.

**US Regulatory Status under FHSA:** 

Not classified as hazardous.

**US Label Elements under FHSA:** 

Signal Word: Not required

Hazard Warning: Not required

Safety Advice: Not required

Hazardous Component: Not required

EU Classification under 1999/45/EC:

Not classified as dangerous.

EU Label Elements under 1999/45/EC:

Symbol & Indication: Not required

**R-Phrase:** Not required

S-Phrase: Not required

**Dangerous Component:** Not required

Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Not required

Other Hazards:

None



MSDS #:

Page 2 of 8 IC3162-0101

Product Code: 0621B

# SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: Mixture

**Ingredient(s):** 

Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration Range (%)	EU Classification according to 67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other
			Symbol/ Indication of Danger	R-Phrase*1	Hazard Class/ Category Code	Hazard Statement*1	Hazards*
Glycerin	56-81-5 / 200-289-5	5 - 10	None	None	None	None	(1)
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / Harmful	R22	Acute Tox. 4	H302	(1)
Substituted phthalocyanine	Confidential	5 - 10	Xi / Irritant	R41 R52/53	Eye Dam. 1 Aquatic Chronic 3	H318 H412	
Ammonia derivative	Confidential	10 - 15	None	None	None	None	
Lactam	Confidential	5 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

<sup>\*1</sup> Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

### Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Date of Issue: April 22, 2005 Revision Date: November 17, 2011

<sup>\*2</sup> The following substance(s) is (are) marked with (1), (2) and/or (3)

<sup>(1)</sup> Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

<sup>(2)</sup> PBT substance or vPvB substance under Regulation (EC) No 1907/2006

<sup>(3)</sup> Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

MSDS #: \_ Product Code: IC3162-0101

Page 3 of 8

0621B

#### SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

#### Most Important Symptoms and Effects, both Acute and Delayed:

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Skin:

May cause no irritation and mild sensitization. (See SECTION 11)

#### Eye:

May cause slight irritation. (See SECTION 11)

### **Chronic Effects:**

Not identified

#### **Indication of Any Immediate Medical Attention and Special Treatment Needed:**

None

## SECTION 5 FIRE FIGHTING MEASURES

# **Extinguishing Media:**

#### **Suitable Extinguishing Media:**

CO<sub>2</sub>, water, foam or dry chemicals

### **Unsuitable Extinguishing Media:**

None

# **Special Hazards:**

None

#### **Hazardous Combustion Products:**

CO, CO<sub>2</sub>, NOx and SOx

### Advice for Fire-fighters:

None

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

# Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

### **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

#### Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Date of Issue: April 22, 2005

Revision Date: November 17, 2011



**SECTION 8** 

# MA

Page 4 of 8

	MSDS #:	IC3162-010
TERIAL SAFETY DATA SHEET	Product Code:	06211

SECTION 7	HANDLING AND STORAGE	
Precautions for Sa	ife Handling:	
Use with adequate ventilation.		
Avoid contact with skin, eyes and clothing.		
In case of contact, wash out the contaminated area immediately.		
Conditions for Saf	fe Storage, Including Any Incompatibilities:	
Keep in a cool and dry place.		
Protect from sunlight.		
Keep out of the	reach of children.	
Specific End Uses	:	
Ink for Ink Jet Printer.		
For more inforn	nation, please refer to the instruction of this product.	

#### **Control Parameters:** USA ACGIH TLV EU OEL DFG MAK OSHA PEL Not established Product (Ink) Not established Not established Not established

EXPOSURE CONTROLS / PERSONAL PROTECTION

Troduct (IIIK)	1 vot established	110t established	Tvot established	Tvot established
Glycerin	Glycerin mist: TWA 15 mg/m³ (Total dust) TWA 5 mg/m³ (Respirable fraction)	Glycerin mist: TWA 10 mg/m <sup>3</sup>	Not established	Not established
Ethylene glycol	Not established	aerosol: Ceiling 100 mg/m <sup>3</sup>	TWA 20 ppm, 52 mg/m <sup>3</sup> STEL 40 ppm, 104 mg/m <sup>3</sup>	10 ppm, 26 mg/m <sup>3</sup>

MSDS #: \_ Product Code: Page 5 of 8 IC3162-0101

0621B

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES			
Information on Basic Physical and Chemi	cal Properties:		
Appearance:	Cyan liquid		
Odor:	Slight odor		
pH:	7 - 9		
Melting Point/Freezing Point (°C):	Not available		
Initial Boiling Point and Boiling Range (°C):	Not available		
Flash Point(°C):	None (Tag. Closed Cup.)		
<b>Evaporation Rate:</b>	Not available		
Flammability:	Neither flammable nor combustible.		
Upper/Lower Flammable or Explosive Limits:	Not available		
Vapor Pressure :	Not available		
Vapor Density:	Not available		
Relative Density:	1.0 - 1.1		
Water Solubility:	Miscible		
Fat Solubility:	Not available		
Partition Coefficient (n-Octanol/Water):	Not available		
Auto-ignition Temperature ( $^{\circ}$ C):	Not available		
<b>Decomposition Temperature</b> ( ${}^{\circ}C$ ):	Not available		
Viscosity (mPa s):	1 - 5		
Explosive Properties:	None (Estimate)		
Oxidizing Properties:	None (Estimate)		
Other Information:	Not available		
SECTION 10 STABILITY AND REA	CTIVITY		
Reactivity: None			
	able Unstable		
Possibility of Hazardous Reactions: None			
Conditions to Avoid: None			
Incompatible Materials: Acids	, bases, oxidizing materials and reducing agents		
Hazardous Decomposition Products: CO, CO <sub>2</sub> , NOx, SOx and Ammonia			

MSDS #: \_ Product Code:

IC3162-0101

0621B

Page 6 of 8

# SECTION 11 TOXICOLOGICAL INFORMATION

**Information on Toxicological Effects:** 

**Acute Toxicity:** 

Inhalation:

Not available

**Ingestion:** 

 $LD_{50} > 2000 \text{ mg/kg (rat)}$ 

OECD Guidelines No. 423 (2001), 96/54/EC Method B1 tris

**Corrosivity/Irritation:** 

Skin:

Not irritant (rabbit)

OECD Guidelines No. 404 (2002), 92/69/EEC Method B4

Eye:

Slightly irritating (rabbit)

OECD Guidelines No. 405 (2002), 92/69/EEC Method B5

**Sensitization:** 

Skin:

Mild sensitizer (guinea pig)

OECD Guidelines No. 406 (1992), 96/54/EC Method B6

**Repeated Dose Toxicity:** 

Not available

Carcinogenicity:

Not available

**Mutagenicity:** 

Ames test: Negative (S. typhimurium & E. Coli)

**Toxicity for Reproduction:** 

Not available

Other Information:

Not available

Date of Issue: April 22, 2005

Revision Date: November 17, 2011

MSDS #: \_ Product Code:

Revision Date: November 17, 2011

Page 7 of 8 IC3162-0101

0621B

SECTION 12 ECOLOGICAL INFORMATION

Toxicity: Not available

Persistence and Degradability: Not available

Bioaccumulative Potential: Not available

Mobility in Soil: Not available

Results of PBT and vPvB

No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under

Assessment: Regulation (EC) No 1907/2006.

SECTION 13 DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:** 

**Other Adverse Effects:** 

Disposal should be subject to federal, state and local laws.

Not available

SECTION 14 TRANSPORT INFORMATION

UN Number: None

**UN Proper Shipping Name:** None

Transport Hazard Class: None

Packing Group: None

Environmental Hazards: Not classified as environmentally hazardous under UN Model Regulations and marine

pollutant under IMDG Code.

Special Precautions for User: None

SECTION 15 REGULATORY INFORMATION

< USA Information >

SARA Title III §313:

 Chemical Name
 Weight %

 "Ethylene glycol" (107-21-1)
 5 - 10

 "Copper Compounds"
 5 - 10

 (as Cu)
 (< 0.35)</td>

**California Proposition 65:** 

Chemical Name Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

**Restriction:** Not regulated

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Others: None

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

Date of Issue: April 22, 2005



MSDS #:

Page 8 of 8 IC3162-0101

Product Code: 0621B

#### SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC>

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<EU Hazard statement according to (EC) No 1272/2008>

H302: Harmful if swallowd.

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

#### **Literature References:**

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

#### Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/FU

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue: April 22, 2005 Revision Date: November 17, 2011