

319887 Lyreco Stamp Pad 70mmx110mm

_yreco Group (Lyreco France)				
Chemwatch: 35-4036			Print Date:	20/11/2013
Version No: 2.1.1.1 Safety Data Sheet (Conforms to Regulations	(EC) No (52/2010)		lssue Date: S.REACH.GBR.EN	22/04/2013
	the substance / mixture and of t		S.REACH.ODIV.EN	
1.1. Product Identifier				
Product name:	319887 Lyreco Stamp Pad 70mmx110mm			
Chemical Name:	Not Applicable			
Synonyms:	Product Code: 319887			
Proper shipping name:	Not Applicable			
Chemical formula:	Not Applicable			
Other means of identification:	Not Available			
CAS number: EC number:	Not Applicable			
Index number:	Not Applicable Not Applicable			
REACH registration number:	Not Applicable			
1.2. Relevant identified uses of	the substance or mixture and uses	advised against		
Relevant identified uses:	Stamp pad ink., NOTE: Information on this SDS	refers to ink used in stamp pad, however, it applies to these inl	ks in bulk.	
Uses advised against:	Not Applicable			
1.3. Details of the supplier of the				
Registered company name:	Lyreco Group (Lyreco France)			
Address: Telephone:	Rue du 19 Mars 1962 Marly 59770 France +33 3 27 23 64 00 (9a.m-5p.m. CET.)			
Fax:	Not Available			
Website:	Not Available			
Email:	Not Available			
1.4. Emergency telephone num	ber			
Association / Organisation:	Not Available			
Emergency telephone numbers: Other emergency telephone numbers:	+33 3 27 23 64 00 (9a.m-5p.m. CET.) +33 3 27 23 64 00 (9a.m-5p.m. CET.)			
SECTION 2 Hazards identification of the substant	ance or mixture			
Considered a dangerous mixture accordi	ng to directive 1999/45/EC, Reg.	1		
ChemWatch Hazard Ratings				
Flammability 0	0 = Minimum			
Foxicity 2	1 = Low 2 = Moderate			
Body Contact 2	3 = High 4 = Extreme			
Chronic 2				
DSD classification:				
· •	epared by following DPD (Directive 1999/45/EC) and	ICLP Regulation (EC) No 1272/2008 regulations		
DPD classification ^[1] :				
• • •	iratory system and skin.			
R40(3) Limited evidence of a R68(3) Possible risk of irreve				
		nnex I; 3. Classification drawn from EC Directive 1272/2008 -	Annex VI	
Classification according to regulation (FG				
	Il Mutagen Category 2, Carcinogen Category 2, Eye	e Irritation Category 2, Skin Corrosion/Irritation Category 2		
STOT - SE (Resp. Irr.) Category 3, Germ Ce		e Irritation Category 2, Skin Corrosion/Irritation Category 2 nnex I; 3. Classification drawn from EC Directive 1272/2008 -	Annex VI	
			Annex VI	
STOT - SE (Resp. Irr.) Category 3, Germ Ce Legend:1. Classified by Chernwatch; 2. Cla			Annex VI	
STOT - SE (Resp. Irr.) Category 3, Germ Ce Legend: 1. Classified by Chemwatch; 2. Cla 2.2. Label elements CLP label elements			Annex VI	

H315 Causes skin irritation

H319	Causes serious eye irritation
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects

H351 Suspected of causing cancer

Supplementary sta	tement(s):
Not Applicable	
Precautionary state	ement(s): Prevention
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash all exposed external body areas thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary state	ement(s): Response
P302+P352	IF ON SKIN: Wash with plenty of water and soap
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.
P321	Specific treatment (see advice on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
Precautionary state	ement(s): Storage
P403+P233	Store in a well-ventilated place.
P405	Store locked up.
Precautionary state	ement(s): Disposal
P501	Dispose of contents/container to authorised chemical landfill or if organic to high temperature incineration

DSD / DPD label elements



Relevant risk statements are found in section 2.1

Indication(s) of	danger:	Xn
Safety advice:		
S02	Keep out of reach	of children.
S13	Keep away from fe	ood, drink and animal feeding stuffs.
S23	Do not breathe ga	s/fumes/vapour/spray.
S25	Avoid contact with	eyes.
S26	In case of contact	with eyes, rinse with plenty of water and contact Doctor or Poisons Information Centre.
S36	Wear suitable pro	tective clothing.
S37	Wear suitable glo	ves.
S39	Wear eye/face pro	otection.
S40	To clean the floor	and all objects contaminated by this material, use water.
S46	If swallowed, seek	medical advice immediately and show this container or label.
S53	Avoid exposure -	obtain special instructions before use.
S56	Dispose of this ma	aterial and its container at hazardous or special waste collection point.
S64	If swallowed, rinse	e mouth with water (only if the person is conscious).

2.3. Other hazards

Ingestion may produce health damage*.

Cumulative effects may result following exposure*.

May be harmful to the foetus/ embryo*.

SECTION 3 Composition / information on ingredients								
3.1. Substances	3.1. Substances							
See 'Composition on ingredient:	s' in Section 3	3.2						
3.2. Mixtures								
1. CAS No 2. EC No 3. Index No 4. REACH No	%[weight]	Name	Classification according to directive 67/548/EEC [DSD]	Classification according to regulation (EC) No 1272/2008 [CLP]				
1. 56-81-5 2. 200-289-5 3. Not Available 4. 01-2119471987-18-XXXX	10-30	glycerol	R36/37/38 ^[1]	STOT - SE (Resp. Irr.) Category 3, Eye Irritation Category 2, Skin Corrosion/Irritation Category 2; H335, H319, H315 ^[1]				

1. 9005-65-6 2. Not Available 3. Not Available 4. Not Available	10-20	sorbitan monooleate, ethoxylated	R36/37/38, R68(3), R40(3) ^[1]	STOT - SE (Resp. Irr.) Category 3, Germ Cell Mutagen Category 2, Carcinogen Category 2, Eye Irritation Category 2, Skin Corrosion/Irritation Category 2; H335, H341, H351, H319, H315 ^[1]
1. 111-46-6 2. 203-872-2 3. 603-140-00-6 4. 01-2119457857-21-XXXX	1-10	diethylene glycol	R22 ^[2]	Acute Tox. ; H302 ^[3]
1. Not Available 2. Not Available 3. Not Available 4. Not Available	1-10	pigment, non-hazardous	Not Applicable	Not Applicable
1. 7732-18-5 2. 231-791-2 3. Not Available 4. Not Available	30-60	water	Not Applicable	Not Applicable

Legend: 1. Classified by Chernwatch; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

SECTION 4 First aid measures

4.1. Description of first aid measures

General:

- If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested.
- · Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.
- Transport to hospital, or doctor, without delay.
- If swallowed do **NOT** induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Seek medical advice.
- If this product comes in contact with the eyes:
 - · Wash out immediately with fresh running water.
 - Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
 - Seek medical attention without delay; if pain persists or recurs seek medical attention.
 - Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
- Treat symptomatically. To treat poisoning by the higher aliphatic alcohols (up to C7):
 - Gastric lavage with copious amounts of water.
 - It may be beneficial to instill 60 ml of mineral oil into the stomach.
 - · Oxygen and artificial respiration as needed.
 - Electrolyte balance: it may be useful to start 500 ml. M/6 sodium bicarbonate intravenously but maintain a cautious and conservative attitude toward electrolyte replacement unless shock or severe acidosis threatens.
 - To protect the liver, maintain carbohydrate intake by intravenous infusions of glucose.
 - Haemodialysis if coma is deep and persistent. [GOSSELIN, SMITH HODGE: Clinical Toxicology of Commercial Products, Ed 5]
 - ------ BASIC TREATMENT ------
 - Establish a patent airway with suction where necessary.
 - Watch for signs of respiratory insufficiency and assist ventilation as necessary.
 - Administer oxygen by non-rebreather mask at 10 to 15 l/min.
 - Monitor and treat, where necessary, for shock.
 - · Monitor and treat, where necessary, for pulmonary oedema.
 - Anticipate and treat, where necessary, for seizures.
 DO NOT use emetics. Where ingestion is suspected rinse mouth and give up to 200 ml water (5 ml/kg recommended) for dilution where patient is able to swallow, has a strong gag reflex and does not drool.
 - Give activated charcoal.
 - ------ ADVANCED TREATMENT ------
 - Consider orotracheal or nasotracheal intubation for airway control in unconscious patient or where respiratory arrest has occurred.
 - · Positive-pressure ventilation using a bag-valve mask might be of use.
 - Monitor and treat, where necessary, for arrhythmias.
 - Start an IV D5W TKO. If signs of hypovolaemia are present use lactated Ringers solution. Fluid overload might create complications.
 - If the patient is hypoglycaemic (decreased or loss of consciousness, tachycardia, pallor, dilated pupils, diaphoresis and/or dextrose strip or glucometer readings below 50 mg), give 50% dextrose.
 - Hypotension with signs of hypovolaemia requires the cautious administration of fluids. Fluid overload might create complications.
 - Drug therapy should be considered for pulmonary oedema.
 - Treat seizures with diazepam.
 - Proparacaine hydrochloride should be used to assist eye irrigation.
 - ------ EMERGENCY DEPARTMENT ------
 - Laboratory analysis of complete blood count, serum electrolytes, BUN, creatinine, glucose, urinalysis, baseline for serum aminotransferases (ALT and AST), calcium, phosphorus and magnesium, may assist in establishing a treatment regime. Other useful analyses include anion and osmolar gaps, arterial blood gases (ABGs), chest radiographs and electrocardiograph.
 - Positive end-expiratory pressure (PEEP)-assisted ventilation may be required for acute parenchymal injury or adult respiratory distress syndrome.
 - Acidosis may respond to hyperventilation and bicarbonate therapy.
 - Haemodialysis might be considered in patients with severe intoxication.
 - Consult a toxicologist as necessary. BRONSTEIN, A.C. and CURRANCE, P.L. EMERGENCY CARE FOR HAZARDOUS MATERIALS EXPOSURE: 2nd Ed. 1994
- For C8 alcohols and above. Symptomatic and supportive therapy is advised in managing patients. If skin contact occurs:
 - Immediately remove all contaminated clothing, including footwear.
 - Flush skin and hair with running water (and soap if available).
 - Seek medical attention in event of irritation.

Eye Contact:

If this product comes in contact with the eyes:

- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Seek medical attention without delay; if pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin Contact:

- If skin contact occurs:
 - Immediately remove all contaminated clothing, including footwear.
 - Flush skin and hair with running water (and soap if available).
 - Seek medical attention in event of irritation.

Inhalation:

- If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested.
- Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.
- Transport to hospital, or doctor, without delay.

Ingestion:

• If swallowed do **NOT** induce vomiting.

- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- · Observe the patient carefully.
- · Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

- To treat poisoning by the higher aliphatic alcohols (up to C7):
 - Gastric lavage with copious amounts of water
 - It may be beneficial to instill 60 ml of mineral oil into the stomach.
 - · Oxygen and artificial respiration as needed.
 - Electrolyte balance: it may be useful to start 500 ml. M/6 sodium bicarbonate intravenously but maintain a cautious and conservative attitude toward electrolyte replacement unless shock or severe acidosis threatens.
 - To protect the liver, maintain carbohydrate intake by intravenous infusions of glucose.
 - Haemodialysis if coma is deep and persistent. [GOSSELIN, SMITH HODGE: Clinical Toxicology of Commercial Products, Ed 5)

BASIC TREATMENT

- Establish a patent airway with suction where necessary.
- Watch for signs of respiratory insufficiency and assist ventilation as necessary.
- Administer oxygen by non-rebreather mask at 10 to 15 l/min.
- Monitor and treat, where necessary, for shock.
- · Monitor and treat, where necessary, for pulmonary oedema.
- Anticipate and treat, where necessary, for seizures.
- DO NOT use emetics. Where ingestion is suspected rinse mouth and give up to 200 ml water (5 ml/kg recommended) for dilution where patient is able to swallow, has a strong gag reflex
 and does not drool.
- Give activated charcoal.
- -----

ADVANCED TREATMENT

- Consider orotracheal or nasotracheal intubation for airway control in unconscious patient or where respiratory arrest has occurred.
- Positive-pressure ventilation using a bag-valve mask might be of use.
- Monitor and treat, where necessary, for arrhythmias.
- Start an IV D5W TKO. If signs of hypovolaemia are present use lactated Ringers solution. Fluid overload might create complications.
- If the patient is hypoglycaemic (decreased or loss of consciousness, tachycardia, pallor, dilated pupils, diaphoresis and/or dextrose strip or glucometer readings below 50 mg), give 50% dextrose.
- Hypotension with signs of hypovolaemia requires the cautious administration of fluids. Fluid overload might create complications.
- Drug therapy should be considered for pulmonary oedema.
- Treat seizures with diazepam.
- Proparacaine hydrochloride should be used to assist eye irrigation.
- -----

EMERGENCY DEPARTMENT

- Laboratory analysis of complete blood count, serum electrolytes, BUN, creatinine, glucose, urinalysis, baseline for serum aminotransferases (ALT and AST), calcium, phosphorus and magnesium, may assist in establishing a treatment regime. Other useful analyses include anion and osmolar gaps, arterial blood gases (ABGs), chest radiographs and electrocardiograph.
- Positive end-expiratory pressure (PEEP)-assisted ventilation may be required for acute parenchymal injury or adult respiratory distress syndrome.
- Acidosis may respond to hyperventilation and bicarbonate therapy.
- · Haemodialysis might be considered in patients with severe intoxication.
- Consult a toxicologist as necessary. BRONSTEIN, A.C. and CURRANCE, P.L. EMERGENCY CARE FOR HAZARDOUS MATERIALS EXPOSURE: 2nd Ed. 1994
- For C8 alcohols and above.

Symptomatic and supportive therapy is advised in managing patients.

SECTION 5 Firefighting measures

5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility:

None known.

5.3. Advice for firefighters

Fire Fighting:

Alert Fire Brigade and tell them location and nature of hazard.

Fire/Explosion Hazard:

The emulsion is not combustible under normal conditions.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Minor Spills:

Major Spills:

Slippery when spilt.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Safe handling

DO NOT

Fire and explosion protection

See section 5

Other information

• Store in original containers.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container:

Polyethylene or polypropylene container.

Storage incompatibility:

Alcohols

Package Material Incompatibilities:

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Derived No Effect Level (DNEL) Exposure Pattern Long term - dermal, systemic effects	Workers Not Available		(General Population	1		
Long term - dermal, systemic effects			c	General Population	n		
•							
	NOL AVAIIADIE		1	Not Available			
Long term - inhalation, systemic effects	Not Available		1	Not Available			
Long term - oral, systemic effects	Not Available		1	Not Available			
Long term - dermal, local effects	Not Available		1	Not Available			
Long term - inhalation, local effects	Not Available		1	Not Available			
Short term - dermal, systemic effects	Not Available		1	Not Available			
Short term - inhalation, systemic effects	Not Available		1	Not Available			
Short term - oral, systemic effects	Not Available		1	Not Available			
Short term - dermal, local effects	Not Available		1	Not Available			
Short term - inhalation, local effects	Not Available		1	Not Available			
Predicted No Effect Level (PNEC)							
Compartment			Value				
Fresh Water			Not Applicable				
Marine Water			Not Applicable				
Aqua			Not Applicable				
Fresh water sediment			Not Applicable				
Marine water sediment			Not Applicable				
Soil			Not Applicable				
STP			Not Applicable				
ORAL			Not Applicable				
Occupational Exposure Limits (OEL)							
INGREDIENT DATA							
Source Ingredient		Material name		TWA	STEL	Peak	Notes
UK Workplace Exposure Limits (WELs) glycerol		Glycerol, mist		10 (mgm3)	Not Available	Not Available	Not Available
UK Workplace Exposure Limits (WELs) diethylene glyce	bl	2,2'-Oxydiethanol		101 (mgm3) / 23 (ppm)	Not Available	Not Available	Not Available
Emergency Limits							
Ingredient	TEEL-0	r	TEEL-1		TEEL-2		TEEL-3
lycerol 15(ppm)		100(ppm)		500(ppm)		500(ppm)	
orbitan monooleate, ethoxylated 0.75(ppm)		2.5(ppm)		15(ppm)		500(ppm)	
liethylene glycol 2.31(ppm)		40(ppm)		200(ppm)		200(ppm)	
vater 500(ppm)		500(ppm)		500(ppm)		500(ppm)	
			Original IDLH			Revised ID	DLH
Ingredient							
Ingredient 19887 Lyreco Stamp Pad 70mmx110mm		Not Available			Not Available		

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.

8.2.2. Personal protection



Eye and face protection:

Safety glasses with side shields.

Skin protection:

See Hand protection below

Hand protection:

• Wear chemical protective gloves, e.g. PVC.

Body protection:

See Other protection below

- Other protection:
 - Overalls.

Thermal hazards:

Recommended material(s):

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the: 319887 Lyreco Stamp Pad 70mmx110mm

Material	CPI
BUTYL	A
NATURAL RUBBER	В

* CPI - Chemwatch Performance Index

Respiratory protection:

Type A-P Filter of sufficient capacity.

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required.

Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

A-2 P2

A-3 P2

Air-line**

Full-Face Respirator

Powered Air Respirator

A-PAPR-AUS / Class 1

P2

A-PAPR-2 P2

Protection Factor	Half-Face Respirator
up to 5 x ES	A-AUS / Class 1 P2
up to 25 x ES up to 50 x ES	Air-line* -
50+ x ES	-

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Blue liquid with a slight irritating odour; mixes with water.

Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution(1%)	Not Available
Vapour density (Air = 1)	Not Available		

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

10.1. Reactivity: See section 7.2
10.2. Chemical stability:

Presence of incompatible materials.

10.3. Possibility of hazardous reactions: See section 7.2
10.4. Conditions to avoid: See section 7.2
10.5. Incompatible materials: See section 7.2
10.6. Hazardous decomposition products:

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Inhaled:

Evidence shows, or practical experience predicts, that the material produces irritation of the respiratory system, in a substantial number of individuals, following inhalation.

Ingestion:

Accidental ingestion of the material may be damaging to the health of the individual.

Skin Contact:

Evidence exists, or practical experience predicts, that the material either produces inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant inflammation when applied to the healthy intact skin of animals, for up to four hours, such inflammation being present twenty-four hours or more after the end of the exposure period.

Eye:

Evidence exists, or practical experience predicts, that the material may cause eye irritation in a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals.

Chronic:

On the basis, primarily, of animal experiments, concern has been expressed that the material may produce carcinogenic or mutagenic effects; in respect of the available information, however, there presently exists inadequate data for making a satisfactory assessment.

ΤΟΧΙCΙΤΥ		IRRITATION	
319887 Lyreco Stamp Pad 70mmx110	mm		
Not Available		Not Available	
glycerol			
Intraperitoneal (Mouse) LD50: 8700 mg/	kg		
Intraperitoneal (Rat) LD50: 4420 mg/kg			
Intravenous (Mouse) LD50: 4250 mg/kg			
Intravenous (Rat) LD50: 5566 mg/kg			
Oral (Guinea pig) LD50: 7750 mg/kg			
Oral (Mouse) LD50: 4090 mg/kg			
Oral (Rat) LD50: 12600 mg/kg			
Subcutaneous (Mouse) LD50: 91 mg/kg			
Subcutaneous (Rat) LD50: 100 mg/kg			
Not Available		Not Available	
sorbitan monooleate, ethoxylated			
Intraperitoneal (Mouse) LD50: 7600 mg/	kg	Eye (rabbit): 150 mg - mild	
Intraperitoneal (Rat) LD50: 6804 mg/kg		Skin (rabbit): - slight	
Intravenous (Mouse) LD50: 1790 mg/kg			
Intravenous (Rat) LD50: 1790 mg/kg			
Oral (mouse) LD50: 25000 mg/kg			
Not Available		Not Available	
diethylene glycol			
Dermal (rabbit) LD50: 11890 mg/kg		Eye (rabbit) 50 mg mild	
Oral (rat) LD50: 12565 mg/kg		Skin (human): 112 mg/3d-l mild	
		Skin (rabbit): 500 mg mild	
Not Available		Not Available	
water			
Not Available		Not Available	
* Value obtained from manufacturer's ms	ds		
GLYCEROL			
For glycerol:			
SORBITAN MONOOLEATE, ETHOXY	LATED		
Polyoxyethylene sorbitan monooleate (T (CD®) rats (25 per group) were exposed maternal body weight (gd 0, 3, 6, 9, 12, 1 or corrected). No differences among grou	to 0, 500 or 5000 mg/kg/day of TW80. All treated	in a variety of foods, cosmetics and other comm females survived to scheduled necropsy and 19 s, nor was there a treatment related change in r r dam, the number of implantation sites per dam	ercial Products. Timed-mated Sprague-Dawley-derived -23 pregnancies per group were confirmed. Average naternal weight gain during treatment or gestation (absolute n or the percent preimplantation loss per litter. In
DIETHYLENE GLYCOL			
The material may cause skin irritation aft	er prolonged or repeated exposure and may produ	uce a contact dermatitis (nonallergic).	
319887 Lyreco Stamp Pad 70mmx110	mm, WATER		
No significant acute toxicological data id			
Acute Toxicity:	Not Applicable	Carcinogenicity:	Carcinogen Category 2
Skin Irritation/Corrosion:	Skin Corrosion/Irritation Category 2	Reproductivity:	Not Applicable
Serious Eye Damage/Irritation:	Eye Irrit.	STOT - Single Exposure:	STOT - SE (Resp. Irr.) Category 3
Respiratory or Skin sensitisation:	Not Applicable	STOT - Repeated Exposure:	Not Applicable
Mutagenicity:	Germ Cell Mutagen Category 2	Aspiration Hazard:	Not Applicable
CMR STATUS			
SECTION 12 Ecological in	formation		

12.1. Toxicity

DO NOT

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil		Persistence: Air	
Not Available	Not Available		Not Available	
12.3. Bioaccumulative poten	tial			
Ingredient	Bioaccumulation			
Not Available	Not Available			
12.4. Mobility in soil				
Ingredient	Mobility			
Not Available	Not Available			
12.5. Results of PBT and vP		_	_	
Delevent eveileble dete	P Net Avgilable	B Nat Available		
Relevant available data PBT and vPvB Criteria fulfilled?	Not Available Not Available	Not Available Not Available	Not Available Not Available	
12.6. Other adverse effects				
No data available				
SECTION 13 Disposal cons	siderations			
				_
13.1. Waste treatment metho	ds			
Product / Packaging disposal:				
Recycle wherever possible or co Waste treatment options:	onsult manufacturer for recycling opti	ions.		
Sewage disposal options:				
No relevant data				
SECTION 14 Transport info	ormation			
Labels Required:				
Marine Pollutant: NO				
HAZCHEM:				
Land transport (ADR): NOT REGULA				
14.1. UN number	Not Available	14.4. Packing group	Not Available	
14.2. UN proper shipping name	Not Applicable	14.5. Environmental hazard	No relevant data	
			Hazard identification (Kemler) Classification code	
	Class:	14.C. Crassial processitions for your	Hazard Label	
14.3. Transport hazard class(es)	Subrisk:	14.6. Special precautions for user	Special provisions	
			limited quantity	
Air transport (ICAO-IATA / DGR): NOT				
14.1. UN number	Not Available	14.4. Packing group	Not Available	
14.2. UN proper shipping name		14.5. Environmental hazard	No relevant data	
			Special provisions:	
			Cargo Only Packing Instructions:	
	ICAO/IATA Class:		Cargo Only Maximum Qty / Pack: Passenger and Cargo Packing Instructions:	
14.3. Transport hazard class(es)	ICAO / IATA Subrisk:	14.6. Special precautions for user	Passenger and Cargo Maximum Qty / Pack:	
	ERG Code:		Passenger and Cargo Limited Quantity	
			Packing Instructions:	
			Passenger and Cargo Maximum Qty / Pack:	
Sea transport (IMDG-Code / GGVSee)	: NOT REGULATED FOR TRANS	PORT OF DANGEROUS GOODS		
14.1. UN number	Not Available	14.4. Packing group	Not Available	
14.2. UN proper shipping name		14.5. Environmental hazard	No relevant data	
	IMDG Class:		EMS Number:	
14.3. Transport hazard class(es)	IMDG Class. IMDG Subrisk:	14.6. Special precautions for user	Special provisions:	
	IME C CUBROR.		Limited Quantities:	
Inland waterways transport (ADN): NO	T REGULATED FOR TRANSPOR	T OF DANGEROUS GOODS		
14.1. UN number	Not Available	14.4. Packing group	Not Available	
14.2. UN proper shipping name		14.5. Environmental hazard	No relevant data	
			Classification code	
14.9 Transport barrend al()		146 Provid manufactor former	Limited quantity	
14.3. Transport hazard class(es)	:	14.6. Special precautions for user	Equipment required	
			Fire cones number	
Transport in bulk according to Annex	II of MARPOL 73 / 78 and the IBC	code		
Source	Ingredient	Pollution Category	Residual Concentration - Outside	Residual Concentrati
		i chaton category	Special Area (% w/w)	
IMO MARPOL 73/78 (Annex II) - List of Other Liquid Substances	glycerol	Not Available	Not Available	Not Available

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

glycerol(56-81-5) is found on the following regulatory lists

"GESAMP/EHS Composite List - GESAMP Hazard Profiles", "FisherTransport Information", "Sigma-AldrichTransport Information", "IMO MARPOL 73/78 (Annex II) - List of Other Liquid Substances", "CODEX General Standard for Food Additives (GSFA) - Additives Permitted for Use in Food in General, Unless Otherwise Specified, in Accordance with GMP", "IOFI Global Reference List of Chemically Defined Substances", "International Fragrance Association (IFRA) Survey: Transparency List", "International Numbering System for Food Additives", "OECD List of High Production Volume (HPV) Chemicals", "International Council of Chemical Associations (ICCA) - High Production Volume List", "IMO IBC Code Chapter 18: List of products to which the Code does not apply", "UK Workplace Exposure Limits (WELs)", "Europe ECHA Registered Substances - Classification and Labelling - DSD-DPD", "Europe SCCNFP First Update of the Inventory of Ingredients Employed in Cosmetic Products - Section II: Perfume and Aromatic Raw Materials", "European Union (EU) Inventory of Fragrance Ingredients (Perfume and Aromatic Raw Materials)", "Europe Commission Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food - Annex I: Substances", "European Chemical Agency (ECHA) Classification & Labelling Inventory - Notified classification and labelling according to CLP criteria", "European Union (EU) Inventory of Ingredients used in Cosmetic Products", "Europe Substances Listed in EU Directives on Plastics in Contact with Food", "European Chemical Agency (ECHA) List of substances identified for registration in 2010", "Europe European Chemicals Agency (ECHA) REACH Registration Numbers", "Europe European Chemicals Agency (ECHA) List of substances identified for registration in 2010", "Europe European Chemicals Agency (ECHA) List of Registered Phase-in Substances", "Europe European Chemicals Agency (ECHA) List of Registered Substances ", "Europe European Chemicals Agency (ECHA) List of Registered Substances", "Eur

sorbitan monooleate, ethoxylated(9005-65-6) is found on the following regulatory lists

"GESAMP/EHS Composite List - GESAMP Hazard Profiles", "FisherTransport Information", "Sigma-AldrichTransport Information", "OSPAR National List of Candidates for Substitution – United Kingdom", "International Fragrance Association (IFRA) Survey: Transparency List", "International Numbering System for Food Additives", "Europe Commission Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food - Annex I: Substances", "European Chemical Agency (ECHA) Classification & Labelling Inventory - Notified classification and labelling according to CLP criteria", "European Union (EU) Inventory of Ingredients used in Cosmetic Products", "Europe Substances Listed in EU Directives on Plastics in Contact with Food", "European Chemical Agency (ECHA) Classification & Labelling Inventory - Chemwatch Harmonised classification", "European Union (EU) No-Longer Polymers List (NLP) (67/548/EEC)", "IMO MARPOL 73/78 (Annex II) - List of Noxious Liquid Substances Carried in Bulk", "IMO IBC Code Chapter 17: Summary of minimum requirements"

diethylene glycol(111-46-6) is found on the following regulatory lists

"GESAMP/EHS Composite List - GESAMP Hazard Profiles", "FisherTransport Information", "Sigma-AldrichTransport Information", "Acros Transport Information", "OSPAR National List of Candidates for Substitution – Norway", "IMO MARPOL 73/78 (Annex II) - List of Other Liquid Substances", "International Fragrance Association (IFRA) Survey: Transparency List", "OECD List of High Production Volume (HPV) Chemicals", "International Council of Chemical Associations (ICCA) - High Production Volume List", "IMO IBC Code Chapter 18: List of products to which the Code does not apply", "UK Workplace Exposure Limits (WELs)", "Europe ECHA Registered Substances - Classification and Labelling - DSD-DPD", "European Union (EU) Annex I to Directive 67/548/EEC on Classification and Labelling of Dangerous Substances - updated by ATP: 31","EU Cosmetic Directive 76/768/EEC Annex III Part 1: List of Substances which Cosmetic Products must not contain except subject to the restrictions and conditions laid down (English)","EU Cosmetic Directive 76/768/EEC Annex II. List of Substances which must not form part of the Composition of Cosmetic Products (English)","Europe SCCNFP First Update of the Inventory of Ingredients Employed in Cosmetic Products - Section II: Perfume and Aromatic Raw Materials", "European Union (EU) Inventory of Fragrance Ingredients (Perfume and Aromatic Raw Materials)", "Europe Commission Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food - Annex I: Substances", "European Chemical Agency (ECHA) Classification & Labelling Inventory - Notified classification and labelling according to CLP criteria", "European Union (EU) Inventory of Ingredients used in Cosmetic Products", "European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI","Europe Substances Listed in EU Directives on Plastics in Contact with Food", "European Chemical Agency (ECHA) Classification & Labelling Inventory -Chemwatch Harmonised classification", "Europe European Chemicals Agency (ECHA) REACH Registration Numbers", "Europe European Chemicals Agency (ECHA) List of substances identified for registration in 2010", "Chemwatch Candidate List of Very High Concern - List of Substance Subject to Authorization", "Europe European Chemicals Agency (ECHA) List of Registered Phase-in Substances", "Europe European Chemicals Agency (ECHA) List of Registered Substances", "Europe ECHA Registered Substances - Classification and Labelling - GHS", "UK The Environmental Protection (Prescribed Processes and Substances) Regulations 1991 - Release into Land Prescribed Substances", "European Union (EU) Directive 2008/1/EC concerning integrated pollution prevention and control, Annex III","IMO IBC Code Chapter 17: Summary of minimum requirements"

water(7732-18-5) is found on the following regulatory lists

"Sigma-AldrichTransport Information","OSPAR National List of Candidates for Substitution – Norway","International Fragrance Association (IFRA) Survey: Transparency List","OECD List of High Production Volume (HPV) Chemicals","IMO IBC Code Chapter 18: List of products to which the Code does not apply", "Europe Commission Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food - Annex I: Substances","EU REACH Regulation (EC) No 1907/2006 - Annex IV - Exemptions from the Obligation to Register in Accordance with Article 2(7)(a) (English)","European Union (EU) Inventory of Ingredients used in Cosmetic Products", "Europe Substances Listed in EU Directives on Plastics in Contact with Food", "European Chemical Agency (ECHA) Classification & Labelling Inventory - Chemwatch Harmonised classification"

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: 67/548/EEC, 1999/45/EC, 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Regulation (EU) No 453/2010, Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and their amendments as well as the following British legislation: - The Control of Substances Hazardous to Health Regulations (COSHH) 2002 - COSHH Essentials - The Management of Health and Safety at Work Regulations 1999

15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

ECHA SUMMARY			
Ingredient	CAS number	Index No	ECHA Dossier
glycerol	56-81-5	Not Available	01-2119471987-18-XXXX
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Not Classified	Wng, GHS08, Dgr	H319, H315, H372
2	Not Classified, Eye Irrit. 2, Skin Irrit. 2, STOT RE 2, STOT RE 1	Wng, GHS08, Dgr	H319, H315, H372
Ingredient	CAS number	Index No	ECHA Dossier
sorbitan monooleate, ethoxylated	9005-65-6	Not Available	Not Available
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Not Classified	GHS07, Wng	H412, H302, H312, H315, H319, H332, H335
2	Not Classified, Aquatic Chronic 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3	GHS07, Wng	H412, H302, H312, H315, H319, H332, H335
Ingredient	CAS number	Index No	ECHA Dossier
diethylene glycol	111-46-6	603-140-00-6	01-2119457857-21-XXXX
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
2	Acute Tox. 4, STOT RE 2, Eye Irrit. 2, Skin Irrit. 2	Wng, GHS08, Dgr	H302, H373, H319, H315
1	Acute Tox. 4	GHS07, Wng	H302
Ingredient	CAS number	Index No	ECHA Dossier
water	7732-18-5	Not Available	Not Available
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
2	Not Classified, Acute Tox. 3, Skin Corr. 1A, Acute Tox. 2	GHS05, Dgr, GHS06	H314, H301

SECTION 16 Other information

Other information

1

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.