

1. Product and Company Identification

Material name HP LaserJet C4182X-XC Print Cartridge

Use of the preparationThis product is a toner preparation that is used in HP LaserJet

8100/8100mfp/8150/8150mfp/Mopier 320 series printers.

Version # 11

Revision date 04-07-2009

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185 United States

Telephone 650-857-1501

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomerinquiries@hp.com

Date prepared Apr 06, 2009

2. Hazards Identification

Acute health effects

Skin contact Unlikely to cause skin irritation.

Eye contact May cause transient slight irritation

Inhalation Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust.

Ingestion Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Potential health effects

Routes of exposure Potential routes of exposure under normal use conditions are skin, eye contact and inhalation.

Ingestion is not expected to be a primary route of exposure for this product under normal use

conditions.

product as intended does not result in inhalation of excessive amounts of dust.

Carcinogenicity None of the ingredients have been classified as carcinogens according to EU, IARC, MAK,

NTP, OSHA or ACGIH.

Other information This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU

Directive 1999/45/EC, as amended.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006

3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight
Iron oxide	1317-61-9	< 50
Styrene acrylate copolymer	Trade Secret	< 50

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Material name C4182X-XC MSDS US

Creation date Apr 30, 2003 Version number 13 1 / 5



Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Ingestion Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

5. Fire Fighting Measures

Flash point and method Not applicable

Hazardous combustion

products

Carbon monoxide and carbon dioxide.

Flammable properties Like most organic material in powder form, toner can form explosive dust-air mixtures when

finely dispersed in air.

Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

Like most organic material in powder form, toner can form explosive dust-air mixtures when

finely dispersed in air.

Protection of firefighters

Protective equipment and precautions for firefighters

If fire occurs in the printer, treat as an electrical fire.

Special firefighting procedures None established.

6. Accidental Release Measures

Personal precautions Minimize dust generation and accumulation.

Environmental precautionsDo not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Other information Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder

with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance

with federal, state, and local regulations.

7. Handling and Storage

Handling Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use

with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Storage Keep out of the reach of children. Store at room temperature. Store away from strong

oxidizers. Keep tightly closed and dry.

8. Exposure Controls / Personal Protection

Exposure guidelines USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Personal protective equipment

General No personal respiratory protective equipment required under normal conditions of use.

9. Physical & Chemical Properties

Appearance Fine powder

Color Black

Odor Slight plastic odor
Odor threshold Not available.

Physical state Not available.

Material name C4182X-XC MSDS US

Creation date Apr 30, 2003 Version number 13 2 / 5



Form solid

Hq Not applicable Not available. **Melting point** Not available. Freezing point Not applicable **Boiling point** Flash point Not applicable Not available. **Evaporation rate Flammability** Not available. Not available.

Flammability limits in air, upper, % by volume

Flammability limits in air,

lower, % by volume

Not flammable

Vapor pressure Not applicable Vapor density Not applicable 1.5 - 1.8 (H2O = 1)Specific gravity Not available. Relative density

Negligible in water. Partially soluble in toluene and xylene. Solubility (water)

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature Not applicable Not available. **Decomposition temperature**

212 - 302 °F (100 - 150 °C) Softening point

Not applicable **Viscosity**

10. Chemical Stability & Reactivity Information

Stable under normal storage conditions. **Chemical stability** Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials

Strong oxidizers

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

Possibility of hazardous

reactions

Will not occur.

11. Toxicological Information

LD50/oral/rat >2000 mg/kg; Not harmful. (OECD 401). Not classified for acute oral toxicity **Oral toxicity**

according to EU Directive 67/548/EEC and 1999/45/EC.

Inhalation toxicity LC50: inh/rat 5 mg/l/4 hrs., (OECD 403).

Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and

1999/45/EC.

Eve irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Sensitization Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and

OSHA HCS (US).

No information available. Chronic toxicity

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA

Regulations (USA), EU Directive, or Proposition 65 (California).

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Mutagenicity

Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Reproductive toxicity

Prop. 65, and DFG (Germany).



12. Ecological Information

Ecotoxicity 96.00 Hours, LL50 > 1000 mg/l, rainbow trout

Persistence and degradability Not available.

13. Disposal Considerations

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely **Disposal instructions**

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient

recycling of HP original inkjet and LaserJet supplies. For more information and to determine

if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport Information

Not available.

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

15. Regulatory Information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or

orders under TSCA.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous

International regulations

chemical

All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

16. Other Information

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

Health: 1 NFPA ratings

Flammability: 1 Instability: 0

Issue date Apr 6 2009 5:58PM

Revision

Replaces sheet dated Mar 30 2009 6:09PM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Material name C4182X-XC MSDS US Creation date Apr 30, 2003 4/5



Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Manufacturer information Hewlett-Packard Company

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name C4182X-XC Creation date Apr 30, 2003