

1. Product and Company	Identification
Material name	CE742A
Product use	This product is a yellow toner preparation that is used in HP Color LaserJet CLJ CP 5225 series printers.
Version #	02
Revision date	13-Apr-2010
CAS #	Mixture
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-1501
	Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com
2. Hazards Identification	
Acute health effects	
Skin contact	Unlikely to cause skin irritation.
Eye contact	May cause transient slight irritation
Inhalation	Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust. Use of this product as intended does not result in inhalation of excessive amounts of dust.
Ingestion	Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.
Potential health effects	
Routes of exposure	Potential routes of exposure under normal use conditions are skin and eye contact; and inhalation
	Ingestion is not expected to be a primary route of exposure for this product under normal use conditions.
Chronic health effects	Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.
Carcinogenicity	None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP OSHA or ACGIH.
Other information	This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended.
	This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

3. Composition / Information on Ingredients		
Components	CAS #	Percent
Amorphous silica	7631-86-9	< 2
Pigment	Trade Secret	< 5
Wax	Trade Secret	< 10
Styrene acrylate copolymer	Trade Secret	< 85

4. First Aid Measures First aid procedures Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. Inhalation Move person to fresh air immediately. If irritation persists, consult a physician. Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. 5. Fire Fighting Measures Flammable properties Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air. **Extinguishing media** Suitable extinguishing CO2, water, or dry chemical media Unsuitable extinguishing None known. media **Protection of firefighters Protective equipment** If fire occurs in the printer, treat as an electrical fire. and precautions for firefighters Specific methods None established. Hazardous combustion Carbon monoxide and carbon dioxide. products 6. Accidental Release Measures **Personal precautions** Minimize dust generation and accumulation. **Environmental precautions** Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. Other information Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations. 7. Handling and Storage Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use Handling with adequate ventilation. Keep away from excessive heat, sparks, and open flames. Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Storage Store at room temperature. 8. Exposure Controls / Personal Protection **Exposure guidelines** USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3 **Engineering controls** Use in a well ventilated area. Personal protective equipment General No personal respiratory protective equipment required under normal conditions of use. 9. Physical & Chemical Properties **Appearance** Fine powder Color Yellow Odor Slight plastic odor

Not available.

Odor threshold

Physical state	Solid	
Form	solid	
pН	Not applicable	
Melting point	Not available.	
Freezing point	Not available.	
Boiling point	Not applicable	
Flash point	Not applicable	
Evaporation rate	Not applicable	
Flammability limits in air, upper, % by volume	Not available.	
Flammability limits in air, lower, % by volume	Not flammable	
Vapor pressure	Not applicable	
Vapor density	Not available.	
Specific gravity	1 (H2O = 1)	
Relative density	Not available.	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.	
Auto-ignition temperature	Not applicable	
Decomposition temperature	Not available.	
Softening point	176 - 266 °F (80 - 130 °C)	
Viscosity	Not applicable	
Percent volatile	Negligible	
VOC	Not applicable	
Other information	Decomposition temperature: > 200 ° C	
10. Chemical Stability & Reactivity Information		
Chemical stability	Stable under normal storage conditions.	
Conditions to avoid	Imaging Drum: Exposure to light	
Incompatible materials	Strong oxidizers	
Hazardous decomposition	Carbon monoxide and carbon dioxide.	

products	
Possibility of hazardous	Will not occur.
reactions	

11. Toxicological Information

Oral toxicity	LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful Not classified for acute oral toxicity according to EU Directive 67/548/EEC and 1999/45/EC.
Carcinogenicity	Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).
IARC Monographs. Overall	l Evaluation of Carcinogenicity
Amorphous silica (CAS 76	331-86-9) 3 Not classifiable as to carcinogenicity to humans.
Inhalation toxicity	No information available.
	Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and 1999/45/EC.
Serious eye damage/eye irritation	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
Skin sensitization	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
Chronic toxicity	No information available.
Sensitization	Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA HCS (US).
Mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

al, state
cycling
ders
on orea,
(29
ard paratio ng
is e and

This data sheet contains changes from the previous version in section(s):	9. Physical & Chemical Properties: Color 12. Ecological Information: Other adverse effects
Manufacturer information	Hewlett-Packard Company 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209
Explanation of abbreviations	

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds