

Brands That Matter



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

TCELL - Blue Splash

Page 1/6

Revision 4 Revision date 2013-02-13

| | Revision date 2013-02-13 |
|-------------------------------------|--|
| SECTION 1: Identification of | the substance/mixture and of the company/undertaking |
| 1.1. Product identifier | |
| Product name | TCELL - Blue Splash |
| 1.2. Relevant identified uses of | the substance or mixture and uses advised against |
| Product Use | [SU22] Professional uses: Public domain (administration, education, entertainment, services, |
| | craftsmen); [PC3] Air care products; |
| Description | TCell - Perfumes, fragrances. |
| 1.3. Details of the supplier of the | e safety data sheet |
| Company | Rubbermaid Commercial Products LLC |
| Address | Newell Rubbermaid Europe Sàrl |
| | Chemin de Blandonnet 10 |
| | CH-1214 Vernier / Geneva / Switzerland |
| Web | www.rubbermaid.eu/contact |
| Telephone | +44 (0)8705 686 824 |
| Fax | +44 (0)2030 279 352 |
| Email | sds.CommercialProducts@newellco.com |
| Local Supplier | |
| Company | Newell Poland Services Sp. z o. o. |
| Address | 2 UI. Wybickiego |
| | Manieczki |
| | Brodnica |
| | 63-112 |
| | Poland |
| Web | www.rubbermaid.eu/contact |
| Telephone | +44 (0)8705 686 824 |
| Fax | +44 (0)2030 279 352 |
| 1.4. Emergency telephone num | |
| Emergency telephone | +44 (0)8705 686 824 |
| number | |
| | Monday till Friday (08:30 - 17:00) |
| Intended use | |
| | Fragrancing module designed for use in proprietary automated system. |
| SECTION 2: Hazards identif | ication |
| 2.1. Classification of the substa | nce or mixture |
| 2.1.1. Classification - | Xn; R65 Xi; R38-43 N; R51/53 |
| 1999/45/EC | Symbols: Xn: Harmful. |
| Main hazards | Irritating to skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause |
| | long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if |
| | swallowed. |



Revision 4 Revision date 2013-02-13

| 2.2. Label elements | |
|-----------------------|--|
| Symbols | Xn: Harmful. |
| | |
| Risk phrases | Contains: C9-12-ISO-alkanes & C11-15-ISO-alkanes (Approx. 70/30), limonene. |
| | R38 - Irritating to skin. |
| | R43 - May cause sensitisation by skin contact. |
| | R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic |
| | environment. |
| | R65 - Harmful: may cause lung damage if swallowed. |
| Safety phrases | S2 - Keep out of the reach of children. |
| | S24 - Avoid contact with skin. |
| | S29 - Do not empty into drains. |
| | S37 - Wear suitable gloves. |
| Precautionary Phrases | P10 - Contains citral, scentenal. May produce an allergic reaction. |
| Further information | |
| Classification system | For mixtures, classification is in compliance with Regulation (EC) 1999/45. The classification is in |
| - | line with current EC lists. It is expanded, however, by information from technical literature and by |
| | information furnished by supplier companies. |

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|---|--------------|------------|-----------|---------------------------------|-----------------|---------------------------|
| C9-12-ISO-alkanes & C11-15-ISO-alkanes (Approx 70/30) | | 90622-57-4 | 292-459-0 | | 50 - 60% | Xn; R65 |
| 2,6-dimethyloct-7-en-2-ol | | 18479-58-8 | 242-362-4 | | 20 - 30% | Xi; R38 |
| D-Limonene | 601-029-00-7 | 5989-27-5 | 227-813-5 | | 1 - 10% | R10 Xi; R38 R43 N; R50/53 |
| Decanal | | 112-31-2 | 203-957-4 | | 1 - 10% | |
| Citral | 605-019-00-3 | 5392-40-5 | 226-394-6 | | < 1% | Xi; R38 R43 |
| Lauraldehyde | | 112-54-9 | 203-983-6 | | < 1% | Xi; R38 N; R51/53 |
| Scentenal | | 86803-90-9 | | | < 1% | Xi; R36-43 N; R51/53 |

| Further information | |
|-------------------------|--|
| | Regulation (EU) 453/2010 - Substances in compliance with Regulation (EC) 1272/2008. C9-12-ISO-alkanes & C11-15-ISO-alkanes (Approx. 70/30) - Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 4: H413. 2,6-Dimethyl-7-octen-2-ol - Skin Irrit. 2: H315; Eye Dam. 2: H319;. citronellol - Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 2: H319;. decanal - Skin Irrit. 2 H315. Lauraldehyde - Skin Irrit. 2: H315; Aquatic Chronic 2: H411;. D-Limonene - Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;. Citral - Skin Irrit. 2: H315; Skin Sens. 1: H317;. Scentenal - Skin Sens. 1: H317; Aquatic Chronic 2:H411;. |
| Additional Information: | Full text for all Risk Phrases mentioned in this section are displayed in Section 16. |



TCELL - Blue Splash

Revision date 2013-02-13

| SECTION 4: First aid measu | res |
|--|--|
| 4.1. Description of first aid measured | sures |
| Inhalation | Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical |
| | attention if irritation or symptoms persist. |
| Skin contact | Remove contaminated clothing. Wash all contaminated clothing before reuse. Wash off |
| Ingestion | immediately with plenty of soap and water. Seek medical attention if irritation or symptoms persist. Unlikely to occur when used as directed. |
| | and effects, both acute and delayed |
| Skin contact | May cause irritation to skin. |
| | e medical attention and special treatment needed |
| Eye contact | Seek medical attention. |
| SECTION 5: Firefighting mea | asures |
| 5.1. Extinguishing media | |
| | Carbon dioxide (CO2). Dry chemical. Alcohol resistant foam. Do NOT use water jet. |
| 5.2. Special hazards arising from | • |
| | Carbon oxides may be formed in fire conditions. |
| 5.3. Advice for firefighters | |
| | Wear suitable protective clothing, gloves and eye/face protection. |
| SECTION 6: Accidental relea | ase measures |
| 6.1. Personal precautions, prote | ective equipment and emergency procedures |
| | Ensure adequate ventilation of the working area. Avoid contact with skin and eyes. |
| 6.2. Environmental precautions | |
| | Do not flush into surface water. Do not let product contaminate subsoil. Do not allow product to enter drains. |
| 6.3. Methods and material for co | ontainment and cleaning up |
| | Ensure adequate ventilation. Absorb liquid components with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust). |
| SECTION 7: Handling and st | torage |
| 7.1. Precautions for safe handling | ng |
| | Avoid contact with skin and eyes. Ensure adequate ventilation of the working area. |
| 7.2. Conditions for safe storage | , including any incompatibilities |
| | Keep containers tightly closed. |
| | Store in a cool, dry area. |
| | Store at temperatures below 30 °C. |
| | Protect from heat and direct sunlight. |
| | Keep away from sources of ignition - No smoking. |
| | Do not open by force or throw into fire, even after use. Do not pierce or burn, even after use. |
| SECTION 8: Exposure contr | |
| 8.2. Exposure controls | |
| Eye / face protection | safety glasses with side-shields. |
| Skin protection - | Avoid contact with skin. Wear suitable gloves. |
| Handprotection | |
| Respiratory protection | Do not breathe gas/fumes/vapour/spray. Do not breathe excessive concentrated vapours. |
| | |



TCELL - Blue Splash

| | Revision date 2013-02-13 | | |
|------------------------------------|--|--|--|
| 8.2. Exposure controls | | | |
| Occupational exposure controls | Wash hands during breaks and at the end of the work. | | |
| SECTION 9: Physical and ch | nemical properties | | |
| 9.1. Information on basic physic | al and chemical properties | | |
| State | Liquid | | |
| Colour | Yellow | | |
| Odour | | | |
| Flash point | | | |
| Relative density | | | |
| SECTION 10: Stability and re | eactivity | | |
| 10.1. Reactivity | | | |
| | Stable under normal conditions. | | |
| 10.2. Chemical stability | | | |
| 40.0 Descibility of beneridance of | Will not decompose if stored and used as recommended. | | |
| 10.3. Possibility of hazardous re | | | |
| 10.4. Conditions to sucid | Strong acids. Strong oxidising agents. | | |
| 10.4. Conditions to avoid | | | |
| | Do NOT allow to freeze. Direct sunlight. | | |
| | Heat, sparks and open flames. | | |
| 10.6. Hazardous decomposition | products | | |
| | Carbon oxides may be formed in fire conditions. | | |
| SECTION 11: Toxicological | nformation | | |
| 11.1. Information on toxicologic | al effects | | |
| Respiratory or skin sensitisation | Irritation may be possible. May cause sensitisation by skin contact. | | |
| 11.1.4. Toxicological Informatio | n | | |
| | No data is available on this product. | | |
| SECTION 12: Ecological info | prmation | | |
| 12.3. Bioaccumulative potential | | | |
| | Does not bioaccumulate. | | |
| 12.5. Results of PBT and vPvB | assessment | | |
| | No data is available on this product. | | |
| 12.6. Other adverse effects | | | |
| | No data available. | | |
| Further information | | | |
| | Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. | | |
| SECTION 13: Disposal cons | iderations | | |
| General information | | | |
| | Dispose of in compliance with all local and national regulations. | | |
| Disposal of packaging | | | |
| | Do not empty into drains; dispose of this material and its container in a safe way. | | |
| | | | |



TCELL - Blue Splash

Revision 4

Revision date 2013-02-13

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

| | UN3082 |
|---------------------------------|--|
| 14.2. UN proper shipping name | 1 |
| | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EXTRACTS, AROMATIC, LIQUID) |
| 14.3. Transport hazard class(es | |
| ADR/RID | 9 |
| Subsidiary risk | 1- |
| IMDG | 9 |
| Subsidiary risk |] - |
| IATA | 9 |
| Subsidiary risk | - |
| 14.4. Packing group | |
| Packing group | |
| 14.5. Environmental hazards | |
| Environmental hazards | Yes |
| Marine pollutant | Yes |
| ADR/RID | |
| Hazard ID | 90 |
| Tunnel Category | (E) |
| IMDG | |
| EmS Code | F-A S-F |
| ΙΑΤΑ | |
| Packing Instruction (Cargo) | 964 |
| Maximum quantity | 450 L |
| Packing Instruction | 964 |
| (Passenger) | |
| Maximum quantity | 450 L |
| Further information | 1 |
| Remarks | ADR - Goods are classified as "Limited Quantities" and are therefore excempt from ADR regulations. Check local legislation for domestic transport. |
| Remarks | IMDG - Goods are classified as "Limited Quantities" and are therefore exempt from IMDG |
| Kemarka | regulations. Check local regulation for domestic transport. |
| Remarks | "Limited Quantity". |
| SECTION 15: Regulatory inf | formation |
| | nmental regulations/legislation specific for the substance or mixture |
| Regulations | Perfumes (fragrances) comply with the Standards of the International Fragrance Association (IFRA), amendments 46. |
| Further information | |
| | COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No |
| | 1 |



TCELL - Blue Splash

Revision 4 Revision date 2013-02-13

| Further information | |
|---------------------|--|
| | 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. |
| | REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. |

SECTION 16: Other information

| Other information | |
|--------------------------------------|--|
| Revision | This document differs from the previous version in the following areas:. 16 - Data sources. |
| Data sources | Exposure Limit Values. Raw Material Data Sheets. |
| Text of risk phrases in Section 3 | R10 - Flammable R36 - Irritating to eyes. R38 - Irritating to skin. R43 - May cause sensitisation by skin contact. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| General information | |
| | Additional information in compliance with Regulation (EC) 1272/2008. H226 - Flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H410 - Very toxic to aquatic life with long lasting effects. H411 - Toxic to aquatic life with long lasting effects. H413 - May cause long lasting harmful effects to aquatic life. |
| Further information | |
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. |
| Informing Department | Technical Services Department. |

