

# 1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

# 1.1 **PRODUCT IDENTIFIER**

Product name:Ink cartridge for use in Franking MachinesPart number:6.477.451 - FN2817LYR

# 1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Franking Machines

## 1.3 SUPPLIER DETAILS

Supplier:	Lyreco Rue du 19 Mars 1962
	59770 Marly
	France
	Phone number: +33(0) 3 27 23 64 00
	Fax:
E-mail:	msds@lyreco.com
Contact Hours:	8.00 am - 18.30 pm

# 1.4 EMERGENCY TELEPHONE NUMBERS

Supplier:	+33(0) 3 27 23 64 00	Emergency Hours:	8.00 am - 18.30 pm
		European Emergency:	+33(0) 3 27 23 64 00

\* This document provides safety-related information about ink contained in print cartridge for use in Franking printers.

## 2. HAZARDS IDENTIFICATION

# 2.1 INFORMATION and CLASSIFICATION

Overview: The product is not classified as dangerous. It contains irritant organic solvents.

## 2.2 LABEL ELEMENTS

Applicable Pictograms:	NO PICTOGRAM
Danger Indications:	N/A
Risk Phrases:	N/A
Safety Phrases:	N/A

#### 2.3 OTHER HAZARDS

PBT or vPvB: N/A





# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS number	Weight %	EC Number	Reach (pre/registration) Number	Index number	OSHA PEL	ACGIH TLV	EU Classification
GLYCERINE		56-81-5	10-15					
DIETHYLENE GLYCOL		111-46-6	0-10					
PYRROLIDONE 2-		616-45-5	0-5					
DYE COMPUND		Trade Secret	15-30					

The Full Text for all R-Phrases are Displayed in Section 16 COMPOSITION COMMENTS

COMPOSITION COMMENTS

The Data Shown is in accordance with the latest EC Directives.

This section provides composition information for the ink contained in specially designed container inside of the print cartridge.

## 4. FIRST-AID MEASURES

## 4.1 FIRST AID MEASURES

# 4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation:	Remove to fresh air. If effects occur, consult medical personnel
Eye contact:	Flush eyes immediately with plenty of water for at least 15 minutes.
Skin contact:	Flush with plenty of water. Use soap.
Ingestion:	No adverse effects anticipated by this route of exposure incidental to proper handling.

## 4.1.2 ADDITIONAL FIRST AID INFORMATION

Additional first aid information:		
Immediate Medical Attention Required:	N/A	

# 4.2 SYMPTOMS AND EFFECTS

Acute Symptoms from Exposure:N/ADelayed Symptoms from Exposure:N/A

# 4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

Move to fresh air



## 5. FIRE-FIGHTING MEASURES

## 5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media:Dry chemical, carbon dioxide or foam type axitinguishers.Extinguishing Media Not to be Used:Water jet.

### 5.2 SPECIAL HAZARD

Unusual Fire/Explosion Hazards: None. Extinguishing Media Not to be Used: None

## 5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing an wear self-contained breathing apparatus

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

#### 6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

Minimize the release of particulates. Do not use a vacuum cleaner unless motor is rated dust tight.

#### 6.1.2 ADDITIONAL FIRST AID INFORMATION

None.

#### 6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Regulatory Information: Keep product out of sewers and watercourses.

## 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: None.



## 7. HANDLINGAND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling:No special precautions when used as intended. Keep containers closed dust.<br/>Keep away from ignition sources.Advice on General Hygiene:Never eat, drink or smoke in work areas. Practice good personal hygiene after using this<br/>material, especially before eating, drinking, smoking, using the restroom, or applying<br/>cosmetics.

### 7.2 CONDITIONSFOR SAFE STORAGE

Avoid high temperatures,  $>100^{\circ}F/32^{\circ}C$ 

#### 7.3 SPECIFICEND USES

Printing devices

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 CONTROL PARAMETERS

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

## 8.2 EXPOSURE CONTROLS

#### **Respiratory protection:**

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

#### **Eye/Face Protection:**

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

#### Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

#### **Additional Protection:**

N/A

#### **Protective Clothing and Equipment:**

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splashproof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

#### Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

#### **Contaminated Equipment:**

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

#### **Comments:**

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 DETAIL INFORMATION

Physical state:	Liquid.
Color:	Blue
Odor:	Mild
Odor threshold:	N/A
Melting point:	N/A
Flash point:	N/A
Explosion limits:	N/A
Relative density:	N/A
Auto-ignition temperature:	N/A

# 9.2 OTHER INFORMATION

N/A

# **10.** CHEMICAL STABILITY AND REACTIVITY

## 10.1 Reactivity:

	Reactivity Hazards: Data on Mixture Substances:	None None
10.2	Chemical Stability:	The product is stable. Under normal conditions of storage and use, hazardous polymerisation will not occur.
10.3	Hazardous Polymerization:	Stable under conditions of normal use.
10.4	Conditions to Avoid:	Keep away from heat, flame, sparks and other ignition sources.
10.5	Incompatible Materials:	Strong oxidising materials
10.6	Hazardous Decomposition:	Will not occur.



# 11. INFORMATION ON TOXICOLOGICAL EFFECT

Mixtures:	Ink contains non known toxicological materials.
Acute Toxicity:	N/A
Skin Corrosion/Irritation:	Tests on inks containing similar materials indicate no evidence of acute dermal toxicity; non-
	irritating and non-sensitizing in human patch test.
Serious Eye Damage:	N/A
Sensitization:	N/A
Mutagenicity:	Ink is negative (no mutagenic) in the Amesassay
Carcinogenicity:	N/A
<b>Reproductive Toxicity:</b>	N/A
STOT - Single Exposure:	N/A
STOT - Multiple Exposure:	N/A
Ingestion:	N/A
Hazard Class Information:	N/A
Mixture on Market Data:	N/A
Symptoms:	N/A
Delayed/Immediate Effects	: N/A
Test Data on Mixture:	N/A
Not Meeting Classification:	N/A
<b>Routes of Exposure:</b>	N/A
Interactive Effects:	N/A
Absence of Specific Data:	N/A
Mixture vs Substance Data:	: N/A

# **12. ECOLOGICAL INFORMATION**

12.1 Eco toxicity:	Based on available data, not harmful to aquatic life.	
12.2 Degradability:	Not readily biodegradable.	
12.3 Bioaccumulation Potential:	Bioaccumulation is insignificant.	
12.4 Mobility in Soil:	Completely miscible in water.	
12.5 PBT & vPvB Assessment:	N/A	
12.6 Other Adverse Effects:	Presents little or no hazard to the environment.	
13. DISPOSAL CONSIDERATIONS		

#### **Disposal Information:**

This product is not regarded as hazardous waste as defined by EU directive 91/689/EEC Dispose as a solid waste in accordance with local authority regulations. Empty container retains product residue.

# Physical/Chemical Properties that affect Treatment:

Symbol: This product is not classified as dangerous Risk Phrases: This product is not classified according to the EU regulations.

#### Waste Treatment Information:

Dispose of in compliance with federal, state, and local regulations

## **Personal Protection Required:**

N/A



# 14. TRANSPORT INFORMATION

14.1 UN Number:	None allocated
14.2 UN Shipping Name:	N/A
14.3 Hazard Class:	N/A
14.4 Packing Group:	N/A
14.5 Environmental Hazards:	N/A
14.6 User Precautions:	N/A
14.7 Bulk Transport:	N/A

## **GENERAL:**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

15. REGULATORY INFORMATION		
EU Regulatory Information:		
EPA Regulatory Information:	None at this time	
<b>CERCLA Reportable Quantity:</b>	None	
Superfund Information:		
Hazard Categories:		
Immediate: None		
Delayed: None		
Fire: None		
Pressure: None	Pressure: None	
Reactivity: None		
Section 302 - Extremely Hazardous: Not listed Section 311 - Hazardous: Not listed		
State Regulations:		

**Other Regulatory Information:** 



# **16. OTHER INFORMATION**

This 5D5 sheet has been made in compliance with E0 directive. Type	
General Comments:	This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular application
Creation Date of this SDS:	03-12-2013
Data Sources:	Ink supplier
Classification Methods:	Not available
CLP Classification:	None
Labeling Phrases:	None
Relevant R Phrases:	N/A
<b>Relevant S Phrases:</b>	N/A
Worker Training:	N/A



## Key to Abbreviations and Acronyms used in this sheet:

N/A — Not Applicable
N/A = Not Applicable
NFPA = National Fire Protection Association
NIOSH = National Institute for Occupational Safety and Health
OSHA = Occupational Health and Safety Administration
PEL = Permissible Exposure Limit
SCBA = Self Contained Breathing Apparatus
STOT = Specific Target Organ Toxicity
TLV = ThresholdLimit Value
UK = United Kingdom
UN = United Nations

Ref:

#### DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only. These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no

warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.