

993476 Lyreco Whiteboard Marker C/Tip Black

| Lyreco Group (Lyreco France) | | | | |
|---|--|---|--------------------------------|-------------|
| Chemwatch: 4854-58 | | | Print Date: | 20/11/2013 |
| Version No: 2.1.1.1 | | | Issue Date: | 04/06/2013 |
| Safety Data Sheet (Conforms to Regulations | (EC) No 453/2010) | | S.REACH.GBR.EN | |
| SECTION 1 Identification of | the substance / mixture and of t | he company / undertaking | | |
| 1.1. Product Identifier | | | | |
| Product name: | 993476 Lyreco Whiteboard Marker C/Tip Black | | | |
| Chemical Name: | Not Applicable | | | |
| Synonyms: | Product Code: 993476 | | | |
| Proper shipping name: | (including paint thinning and reducing compoun | shellac, varnish, polish, liquid filler and liquid lacquer ba d) (vapour pressure at 50 °C not more than 110 kPa); P/ quid lacquer base) or PAINT RELATED MATERIAL (inc 110 kPa) | AINT (including paint, lacque | er, enamel, |
| Chemical formula: | Not Applicable | | | |
| Other means of identification: | Not Available | | | |
| CAS number: | Not Applicable | | | |
| EC number: | Not Applicable | | | |
| Index number: | Not Applicable | | | |
| REACH registration number: | Not Applicable | | | |
| 1.2. Relevant identified uses of | f the substance or mixture and uses | advised against | | |
| Relevant identified uses: | Whiteboard marker., NOTE: Information on this | SDS refers to ink used in pens and markers, however, it a | applies to these inks in bulk. | |
| Uses advised against: | Not Applicable | | | |
| 1.3. Details of the supplier of the | ne safety data <u>sheet</u> | | | |
| Registered company name: | Lyreco Group (Lyreco France) | | | |
| Address: | Rue du 19 Mars 1962 Marly 59770 France | | | |
| Telephone: | +33 3 27 23 64 00 (9a.m-5p.m. CET.) | | | |
| Fax: | Not Available | | | |
| Website: | Not Available | | | |
| Email: | Not Available | | | |
| 1.4. Emergency telephone num | her | | | |
| | Not Available | | | |
| Association / Organisation: Emergency telephone numbers: | +33 3 27 23 64 00 (9a.m-5p.m. CET.) | | | |
| Other emergency telephone numbers: | +33 3 27 23 64 00 (9a.m-5p.m. CET.) | | | |
| • | | | | |
| SECTION 2 Hazards identific | ation | | | |
| 2.1. Classification of the substa | ance or mixture | | | |
| Considered a dangerous mixture accordin | ng to Directive 1999/45/EC. Reg. | | | |
| | | | | |
| ChemWatch Hazard Ratings MinMax | | | | |
| Flammability 3 | 0 = Minimum | | | |
| Toxicity 2 Body Contact 2 | 1 = Low 2 = Moderate | | | |
| Reactivity 1 | 3 = High 4 = Extreme | | | |
| Chronic 2 | | | | |
| DSD classification: | | | | |
| In case of mixtures, classification has been pre- | epared by following DPD (Directive 1999/45/EC) and | CLP Regulation (EC) No 1272/2008 regulations | | |
| DPD classification ^[1] : | | | | |
| | drowsiness and dizziness. | | | |
| R11 Highly flammable. | | | | |
| | option from EQ Direction 07/540/550 | nnov I. 2. Closefication draws from 50 Direction 1070 D | 009 Apport// | |
| | | nnex I; 3. Classification drawn from EC Directive 1272/2 | UUG - ANNEX VI | |
| Classification according to regulation (EC | | | | |
| STOT - SE (Narcosis) Category 3, Flammab | le Liquid Category 2 | | | |
| Legend: 1. Classified by Chemwatch; 2. Cla 2.2. Label elements | ssification drawn from EC Directive 67/548/EEC - A | nnex I; 3. Classification drawn from EC Directive 1272/2 | 008 - Annex VI | |
| CLP label elements | | | | |
| | | | | |
| ▼ ▼ | | | | |

Signal word:

DANGER

| Hazard statement(| s): |
|---------------------|--|
| H225 | Highly flammable liquid and vapour |
| H336 | May cause drowsiness or dizziness |
| Supplementary sta | tement(s): |
| Not Applicable | |
| Precautionary state | ement(s): Prevention |
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P103 | Read label before use. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting/intrinsically safe equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| Precautionary state | ement(s): Response |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P312 | Call a POISON CENTER/doctor/physician/first aider/if you feel unwell. |
| P370+P378 | In case of fire: Use to extinguish. |
| Precautionary state | ement(s): Storage |
| P403+P233 | Store in a well-ventilated place. |
| P403+P235 | Store in a well-ventilated place. |
| P405 | Store locked up. |
| Precautionary state | ement(s): Disposal |
| | |

P501 Dispose of contents/container to authorised chemical landfill or if organic to high temperature incineration

DSD / DPD label elements



Relevant risk statements are found in section 2.1

| Safety advice | x |
|---------------|--|
| S02 | Keep out of reach of children. |
| S09 | Keep container in a well ventilated place. |
| S16 | Keep away from sources of ignition. |
| S23 | Do not breathe gas/fumes/vapour/spray. |
| S29 | Do not empty into drains. |
| S33 | Take precautionary measures against static discharges. |
| S41 | In case of fire and/or explosion, DO NOT BREATHE FUMES. |
| S43 | In case of fire use |
| S51 | Use only in well ventilated areas. |
| S56 | Dispose of this material and its container at hazardous or special waste collection point. |

2.3. Other hazards

Inhalation, skin contact and/or ingestion may produce health damage*.

May produce discomfort of the eyes, respiratory tract and skin*.

Cumulative effects may result following exposure*.

SECTION 3 Composition / information on ingredients

3.1. Substances

| See 'Composition on ingredients' in Section 3.2 | | | | |
|--|-----------|---|---|---|
| 3.2. Mixtures | | | | |
| 1. CAS No 2. EC No 3. Index No 4. REACH No | %[weight] | Name | Classification according to directive 67/548/EEC [DSD] | Classification according to regulation (EC) No 1272/2008 [CLP] |
| 1. 64-17-5 2. 200-578-6 3. 603-002-00-5 4. 01-2119457610-43-XXXX | >50 | <u>ethanol</u> | R11 ^[2] | Flam. ; H225 ^[3] |
| 1. 107-98-2 2. 203-539-1, 216-455-5, 215-306-1 3. 603-064-00-3, 603-106-00-0 4. 01-2119457435-35-XXXX | 10-25 | propylene glycol monomethyl ether - alpha isomer | R11 ^[2] | Flam. , STOT SE 3, Repr. , Skin Irrit. , Eye Dam. ; H226, H336, H360D ***, H335, H315, H318 ^[3] |

SECTION 4 First aid measures

4.1. Description of first aid measures

General:

- If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested.
- Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.
- Transport to hospital, or doctor.
- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- · Observe the patient carefully.
- · Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- · Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Seek medical advice.
- If this product comes in contact with the eyes:
 - Wash out immediately with fresh running water.
 - Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
 - Seek medical attention without delay; if pain persists or recurs seek medical attention.
 - Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
- For acute or short term repeated exposures to ethanol:
 - Acute ingestion in non-tolerant patients usually responds to supportive care with special attention to prevention of aspiration, replacement of fluid and correction of nutritional deficiencies (magnesium, thiamine pyridoxine, Vitamins C and K).
 - Give 50% dextrose (50-100 ml) IV to obtunded patients following blood draw for glucose determination.
 - Comatose patients should be treated with initial attention to airway, breathing, circulation and drugs of immediate importance (glucose, thiamine).
 - Decontamination is probably unnecessary more than 1 hour after a single observed ingestion. Cathartics and charcoal may be given but are probably not effective in single ingestions.
 Fructose administration is contra-indicated due to side effects.
- If skin contact occurs:
 - Immediately remove all contaminated clothing, including footwear.
 - Flush skin and hair with running water (and soap if available).
 - Seek medical attention in event of irritation.

Eye Contact:

- If this product comes in contact with the eyes:
 - Wash out immediately with fresh running water.
 - · Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
 - · Seek medical attention without delay; if pain persists or recurs seek medical attention.
 - Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin Contact:

- If skin contact occurs:
 - Immediately remove all contaminated clothing, including footwear.
 - Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

Inhalation:

- · If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested.
- Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.
- Transport to hospital, or doctor.

Ingestion:

• If swallowed do NOT induce vomiting.

- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to ethanol:

- Acute ingestion in non-tolerant patients usually responds to supportive care with special attention to prevention of aspiration, replacement of fluid and correction of nutritional deficiencies (magnesium, thiamine pyridoxine, Vitamins C and K).
- Give 50% dextrose (50-100 ml) IV to obtunded patients following blood draw for glucose determination.
- Comatose patients should be treated with initial attention to airway, breathing, circulation and drugs of immediate importance (glucose, thiamine).
- Decontamination is probably unnecessary more than 1 hour after a single observed ingestion. Cathartics and charcoal may be given but are probably not effective in single ingestions.
- Fructose administration is contra-indicated due to side effects

SECTION 5 F<u>irefighting measures</u>

5.1. Extinguishing media

- Alcohol stable foam.
- 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility:

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

5.3. Advice for firefighters

Fire Fighting:

• Alert Fire Brigade and tell them location and nature of hazard.

- Fire/Explosion Hazard:
 - Liquid and vapour are highly flammable.

| 6.1. Personal precautions, protective equipment and emergency procedures | |
|--|--|
| See section 8 | |

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills:

Remove all ignition sources.

Major Spills:

Clear area of personnel and move upwind.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Safe handling

DO NOT

Fire and explosion protection

See section 5

Other information

Store in original containers in approved flame-proof area.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container:

Packing as supplied by manufacturer.

Storage incompatibility:

Avoid oxidising agents, acids, acid chlorides, acid anhydrides, chloroformates.

Package Material Incompatibilities:

7.3. Specific end use(s)

See section 1.2

| 8.1. Control parameters | | | | | | | | |
|-------------------------------------|------------|---------------|---------------|----------------|-------------------|---------------|---------------|---------------|
| Derived No Effect Level (DNEL) | | | | | | | | |
| Exposure Pattern | | Workers | | (| General Populatio | 'n | | |
| Long term - dermal, systemic eff | ects | Not Available | | 1 | Not Available | | | |
| Long term - inhalation, systemic | effects | Not Available | | 1 | Not Available | | | |
| Long term - oral, systemic effect | S | Not Available | | 1 | Not Available | | | |
| Long term - dermal, local effects | | Not Available | | 1 | Not Available | | | |
| Long term - inhalation, local effe | ects | Not Available | | 1 | Not Available | | | |
| Short term - dermal, systemic eff | ects | Not Available | | 1 | Not Available | | | |
| Short term - inhalation, systemic | effects | Not Available | | 1 | Not Available | | | |
| Short term - oral, systemic effect | s | Not Available | | 1 | Not Available | | | |
| Short term - dermal, local effects | 5 | Not Available | | 1 | Not Available | | | |
| Short term - inhalation, local effe | ects | Not Available | | 1 | Not Available | | | |
| Predicted No Effect Level (PNEC | ;) | | | | | | | |
| Compartment | | | | Value | | | | |
| Fresh Water | | | | Not Applicable | | | | |
| Marine Water | | | | Not Applicable | | | | |
| Aqua | | | | Not Applicable | | | | |
| Fresh water sediment | | | | Not Applicable | | | | |
| Marine water sediment | | | | Not Applicable | | | | |
| Soil | | | | Not Applicable | | | | |
| STP | | | | Not Applicable | | | | |
| ORAL | | | | Not Applicable | | | | |
| Occupational Exposure Limits (C | DEL) | | | | | | | |
| NGREDIENT DATA | | | | | | | | |
| Source | Ingredient | | Material name | | TWA | STEL | Peak | Notes |
| UK Workplace Exposure Limits | ethanol | | Ethanol | | 1920 (mgm3) / | Not Available | Not Available | Not Available |

| UK Workplace Exposure Limits (WELs) | ethanol | Ethanol | 1920 (mgm3) / 1000 (ppm) | Not Available | Not Available | Not Available |
|--|---|----------------------|-----------------------------|---------------------------|---------------|---------------|
| UK Workplace Exposure Limits (WELs) | propylene glycol monomethyl ether - alpha isomer | 1-Methoxypropan-2-ol | 375 (mgm3) / 100 (ppm) | 560 (mgm3) / 150 (ppm) | Not Available | Sk |
| European Union (EU) First List of Indicative Occupational Exposure Limit Values (IOELVs) (English) | propylene glycol monomethyl ether - alpha isomer | 1-Methoxypropanol-2 | 375 (mgm3) / 100 (ppm) | 568 (mgm3) / 150 (ppm) | Not Available | Skin |
| EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs) | propylene glycol monomethyl ether - alpha isomer | 1-Methoxypropan-2-ol | 375 (mgm3) / 100 (ppm) | 568 (mgm3) / 150 (ppm) | Not Available | Skin |

| Emergency Limits | | | | | | |
|---|-----------|---------------|-----------|-----------|------------------|-----------|
| Ingredient | TEEL-0 | | TEEL-1 | TEEL-2 | | TEEL-3 |
| ethanol | 1000(ppm) | | 3000(ppm) | 3300(ppm) | | 3300(ppm) |
| propylene glycol monomethyl ether - alpha isomer | 100(ppm) | | 150(ppm) | 300(ppm) | | 750(ppm) |
| Ingredient | | Original IDLH | | | Revised IDLH | |
| ethanol | | 15,000(ppm) | | | 3,300 [LEL](ppm) | |
| 8.2. Exposure controls | | | | | | |

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.

8.2.2. Personal protection



Eye and face protection:

Safety glasses with side shields.

Skin protection:

See Hand protection below

Hand protection:

Wear chemical protective gloves, e.g. PVC.

Body protection:

See Other protection below

Other protection:

Overalls

Thermal hazards:

Recommended material(s):

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the: 993476 Lyreco Whiteboard Marker C/Tip Black

| Material | CPI |
|----------|-----|
| BUTYL | A |
| NEOPRENE | A |
| NITRILE | В |
| PVC | В |

* CPI - Chemwatch Performance Index

Respiratory protection:

Type A Filter of sufficient capacity.

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

| Required minimum protection factor | Maximum gas/vapour concentration present in air p.p.m. (by volume) | Half-face Respirator | Full-Face Respirator |
|------------------------------------|--|-------------------------|-------------------------|
| up to 10 | 1000 | A-AUS / Class1 | - |
| up to 50 | 1000 | - | A-AUS / Class 1 |
| up to 50 | 5000 | Airline * | - |
| up to 100 | 5000 | - | A-2 |
| up to 100 | 10000 | - | A-3 |
| 100+ | | | Airline** |

* - Continuous Flow ** - Continuous-flow or positive pressure demand

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Black highly flammable liquid with a characteristic odour; mixes with water.

| Physical state | Liquid | Relative density (Water = 1) | Not Available |
|--|---------------|---|----------------------|
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | 287 (ignition temp.) |
| pH (as supplied) | Not Available | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | 78 | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | 13 | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | 15.0 | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | 1.7 | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | 5.9 | Gas group | Not Available |
| Solubility in water (g/L) | Miscible | pH as a solution(1%) | Not Available |
| Vapour density (Air = 1) | Not Available | | |
| | | | |

9.2. Other informatio

SECTION 10 Stability and reactivity

10.1. Reactivity:

See section 7.2

| 10.2. Chemical stability: |
|---|
| Presence of incompatible materials. |
| 10.3. Possibility of hazardous reactions: |
| See section 7.2 |
| 10.4. Conditions to avoid: |
| See section 7.2 |
| 10.5. Incompatible materials: |
| See section 7.2 |
| 10.6 Hazardous decomposition products: |

See section 5.3

SECTION 11 Toxicological information

Inhaled:

Inhalation of vapours may cause drowsiness and dizziness.

Ingestion:

Accidental ingestion of the material may be damaging to the health of the individual.

Skin Contact:

Skin contact with the material may damage the health of the individual; systemic effects may result following absorption.

Eye:

Evidence exists, or practical experience predicts, that the material may cause eve irritation in a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals.

Chronic:

Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.

| TOXICITY | IRRITATION | | |
|--|-----------------------------------|--|--|
| 993476 Lyreco Whiteboard Marker C/Tip Black | | | |
| Not Available | Not Available | | |
| ethanol | | | |
| Inhalation (rat) LC50: 20,000 ppm/10h | Eye (rabbit): 500 mg SEVERE | | |
| Inhalation (rat) LC50: 64000 ppm/4h | Eye (rabbit):100mg/24hr-moderate | | |
| Oral (rat) LD50: 7060 mg/kg | Skin (rabbit):20 mg/24hr-moderate | | |
| | Skin (rabbit):400 mg (open)-mild | | |
| Not Available | Not Available | | |
| propylene glycol monomethyl ether - alpha isomer | | | |
| Dermal (rabbit) LD50: 13000 mg/kg | Eye (rabbit) 230 mg mild | | |
| Inhalation (rat) LC50: 10000 ppm/5 h. | Eye (rabbit) 500 mg/24 h. | | |
| Oral (rat) LD50: 3739 mg/kg | Eye (rabbit): 100 mg SEVERE | | |
| | Skin (rabbit) 500 mg open - mild | | |
| Not Available | Not Available | | |

* Value obtained from manufacturer's msds

993476 Lvreco Whiteboard Marker C/Tip Black

No significant acute toxicological data identified in literature search.

ETHANOL

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic).

PROPYLENE GLYCOL MONOMETHYL ETHER - ALPHA ISOMER

for propylene glycol ethers (PGEs):

NOTE: For PGE - mixed isomers: Exposure of pregnant rats and rabbits to the substance did not give rise to teratogenic effects at concentrations up to 3000 ppm.

| Acute Toxicity: | Not Applicable | Carcinogenicity: | Not Applicable |
|------------------------------------|----------------|---------------------------|---------------------------------|
| Skin Irritation/Corrosion: | Not Applicable | Reproductivity: | Not Applicable |
| Serious Eye Damage/Irritation: | Not Applicable | STOT - Single Exposure: | STOT - SE (Narcosis) Category 3 |
| Respiratory or Skin sensitisation: | Not Applicable | STOT - Repeated Exposure: | Not Applicable |
| Mutagenicity: | Not Applicable | Aspiration Hazard: | Not Applicable |
| | | | |

CMR STATUS

SKIN

propylene glycol monomethyl ether - alpha isomer

European Union (EU) First List of Indicative Occupational Exposure Limit Values (IOELVs) - Skin

Skin

SECTION 12 Ecological information DO NOT 12.2. Persistence and degradability Persistence: Water/Soil Ingredient Persistence: Air Not Available Not Available Not Available 12.3. Bioaccumulative potential Ingredient Bioaccumulation Not Available Not Available

| 12.4. Mobility in soil | | | | |
|--|---------------|---------------|---------------|--|
| Ingredient | Mobility | | | |
| Not Available | Not Available | | | |
| 12.5. Results of PBT and vP | vB assessment | | | |
| | Ρ | В | т | |
| Relevant available data | Not Available | Not Available | Not Available | |
| PBT and vPvB Criteria fulfilled? | Not Available | Not Available | Not Available | |
| 12.6. Other adverse effects | | | | |
| No data available | | | | |
| | | | | |
| SECTION 13 Disposal considerations | | | | |
| 13.1. Waste treatment methods | | | | |
| Product / Packaging disposal: | | | | |
| Recycle wherever possible or consult manufacturer for recycling options. | | | | |

Waste treatment options: Sewage disposal options:

No relevant data

SECTION 14 Transport information

Labels Required:

| Marine Pollutant: NO | | | | |
|----------------------------------|---|---|------------------------------------|---|
| HAZCHEM: •3YE; •3Y | | | | |
| Land transport (ADR) | | | | |
| 14.1. UN number | 1263 | | 14.4. Packing group | 11 |
| 14.2. UN proper shipping name | PAINT (including paint, I enamel, stain, shellac, va polish, liquid filler and lid lacquer base) or PAINT RELATED MATERIAL (I paint thinning and reduci compound) (vapour press °C not more than 110 kPa (including paint, lacquer, stain, shellac, varnish, po liquid filler and liquid lac base) or PAINT RELATE MATERIAL (including pa thinning and reducing co (vapour pressure at 50 °C than 110 kPa) | arnish, quid including ing sure at 50 a); PAINT , enamel, olish, cquer ED aint mpound) | 14.5. Environmental hazard | No relevant data |
| 14.3. Transport hazard class(es) | Class: Subrisk: | 3 | 14.6. Special precautions for user | Hazard identification (Kemler) Classification code Hazard Label Special provisions limited quantity |
| Air transport (ICAO-IATA / DGR) | | | | |
| 14.1. UN number | 1263 | | 14.4. Packing group | II |
| 14.2. UN proper shipping name | Paint (including paint, la enamel, stain, shellac, va polish, liquid filler and lit lacquer base); Paint rela material (including paint or reducing compounds) | arnish, quid ated thinning | 14.5. Environmental hazard | No relevant data |
| | | | | Special provisions: |
| | | | | Cargo Only Packing Instructions: |
| | ICAO/IATA Class: | 3 | | Cargo Only Maximum Qty / Pack: |
| | | 3 | | Passenger and Cargo Packing Instruction |
| 14.3. Transport hazard class(es) | ICAO / IATA Subrisk: | 01 | 14.6. Special precautions for user | Passenger and Cargo Maximum Qty / Pa |
| | ERG Code: | 3L | | Passenger and Cargo Limited Quantity Packing Instructions: |
| | | | | |

| | | | Passenger and Cargo Maximum Qty / Pack: | 1 L |
|------------------------------------|--|----------------------------|---|-----|
| | | | | |
| Sea transport (IMDG-Code / GGVSee) | | | | |
| 14.1. UN number | 1263 | 14.4. Packing group | II | |
| 14.2. UN proper shipping name | PAINT (including paint, lacquer, enamel, stain, shellac solutions, varnish, polish, liquid filler and liquid lacquer base) or PAINT | 14.5. Environmental hazard | No relevant data | |

33

F1

3

5 L

A3A72

364

60 L 353

5 L

Y341

163 640D 650; 163 640C 650

| | RELATED MATERIAL (including paint thinning or reducing compound) | | | |
|--|--|------------------------------------|--|-----------------------|
| | IMDG Class: 3 | | EMS Number: | F-E,S-E |
| 14.3. Transport hazard class(es) IMDG Clas | | 14.6. Special precautions for user | Special provisions: | 163 |
| | INDO SUDIISK. | | Limited Quantities: | 5 L |
| Inland waterways transport (ADN) | | | · | |
| 14.1. UN number | 1263 | 14.4. Packing group | Ш | |
| 14.2. UN proper shipping name | PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound); PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (vapour pressure at 50 °C more than 110 kPa); PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (vapour pressure at 50 °C not more than 110 kPa) | 14.5. Environmental hazard | No relevant data | |
| | 3:1 | | Classification code | C9; F1 |
| 14.3. Transport hazard class(es) | | 14.6. Special precautions for user | Limited quantity | 1 L; 5 L |
| 14.3. Transport hazaru class(es) | | 4.0. Special precautions for user | Equipment required | PP, EP; PP, EX, A |
| | | | Fire cones number | 0; 1 |
| Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code | | | | |
| Source | Ingredient | Pollution Category | Residual Concentration - Outside Special Area (% w/w) | Residual Concentratio |
| IMO MARPOL 73/78 (Annex II) - List of Other Liquid Substances | ethanol | Not Available | Not Available | Not Available |

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

ethanol(64-17-5) is found on the following regulatory lists

"World Anti-Doping Agency - The 2009 Prohibited List World Anti-Doping Code - Substances Prohibited in Particular Sports (French)", "World Anti-Doping Agency - The 2012 Prohibited List World Anti-Doping Code - Substances Prohibited in Particular Sports","IMO Provisional Categorization of Liquid Substances - List 2: Pollutant only mixtures containing at least 99% by weight of components already assessed by IMO","World Anti-Doping Agency - The 2009 Prohibited List World Anti-Doping Code - Substances Prohibited in Particular Sports (Korean)","World Anti-Doping Agency - The 2009 Prohibited List World Anti-Doping Code - Substances Prohibited in Competition (German)", "GESAMP/EHS Composite List - GESAMP Hazard Profiles", "International Air Transport Association (IATA) Dangerous Goods Regulations", "Fisher Transport Information", "Sigma-Aldrich Transport Information", "Acros Transport Information", "IMO MARPOL 73/78 (Annex II) - List of Other Liquid Substances", "IOFI Global Reference List of Chemically Defined Substances", "International Fragrance Association (IFRA) Survey: Transparency List", "FEMA Generally Recognized as Safe (GRAS) Flavoring Substances 23 - Examples of FEMA GRAS Substances with Non-Flavor Functions", "OECD List of High Production Volume (HPV) Chemicals", "International Council of Chemical Associations (ICCA) - High Production Volume List", "IMO IBC Code Chapter 18: List of products to which the Code does not apply", "UK Workplace Exposure Limits (WELs)", "European Union (EU) Annex I to Directive 67/548/EEC on Classification and Labelling of Dangerous Substances - updated by ATP: 31", "Europe ECHA Registered Substances - Classification and Labelling - GHS", "Europe European Chemicals Agency (ECHA) List of Registered Substances", "Europe European Chemicals Agency (ECHA) List of Registered Phase-in Substances", "Europe European Chemicals Agency (ECHA) List of substances identified for registration in 2010", "Europe European Chemicals Agency (ECHA) REACH Registration Numbers", "European Chemical Agency (ECHA) Classification & Labelling Inventory - Chemwatch Harmonised classification", "Europe Substances Listed in EU Directives on Plastics in Contact with Food", "European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VII", "European Union (EU) Inventory of Ingredients used in Cosmetic Products", "European Chemical Agency (ECHA) Classification & Labelling Inventory - Notified classification and labelling according to CLP criteria", "Europe Commission Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food - Annex I: Substances", "European Union (EU) Inventory of Fragrance Ingredients (Perfume and Aromatic Raw Materials)","EU list of flavouring substances which can be used in food -Regulation EU 872/2012", "European Union Register of Feed Additives pursuant to Regulation (EC) No 1831/2003 - Annex I: List of Additives", "Europe SCCNFP First Update of the Inventory of Ingredients Employed in Cosmetic Products - Section II: Perfume and Aromatic Raw Materials","Europe European Commission Database of flavouring substances","Europe ECHA Registered Substances - Classification and Labelling - DSD-DPD","Regulations concerning the International Carriage of Dangerous Goods by Rail - Table A: Dangerous Goods List - RID 2013 (English)","International Maritime Dangerous Goods Requirements (IMDG Code) - Substance Index", "International Maritime Dangerous Goods Requirements (IMDG Code)", "UK Dangerous Goods Emergency Action Code List 2013", "ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways", "EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles", "European Union (EU) Directive 2012/18/EU of 4 July 2012 on the control of major-accident hazards involving dangerous substances", "UK The Environmental Protection (Prescribed Processes and Substances) Regulations 1991 - Release into Land Prescribed Substances", "European Union (EU) Directive 2008/1/EC concerning integrated pollution prevention and control, Annex III","UK Pollution Inventory - Form PI-3 (EPRTR): Pollution Inventory reporting - E-PRTR - Part 2 Releases to air","UK Pollution Inventory - Form PI-2: Pollution Inventory reporting - Part 2 Releases to air","UK Pollution Inventory - Form PI-1: Pollution Inventory reporting - Part 2 Releases to air","Scotland Pollution Inventory", "Europe Pollutant Release and Transfer Register (E-PRTR) (166/2006) - Threshold Quantities", "Europe Pollutant Emission Register (EPER) (2000/479/EC) - Threshold Quantities", "IMO IBC Code Chapter 17: Summary of minimum requirements", "OSPAR National List of Candidates for Substitution - Norway"

propylene glycol monomethyl ether - alpha isomer(107-98-2) is found on the following regulatory lists

"FisherTransport Information", "Sigma-AldrichTransport Information", "International Fragrance Association (IFRA) Survey: Transparency List", "OECD List of High Production Volume (HPV) Chemicals", "International Council of Chemical Associations (ICCA) - High Production Volume List", "UK Workplace Exposure Limits (WELs)", "Europe ECHA Registered Substances -Classification and Labelling - DSD-DPD", "European Union (EU) Annex I to Directive 67/548/EEC on Classification and Labelling of Dangerous Substances - updated by ATP: 31", "Europe SCCNFP First Update of the Inventory of Ingredients Employed in Cosmetic Products - Section II: Perfume and Aromatic Raw Materials", "European Union (EU) Inventory of Fragrance Ingredients (Perfume and Aromatic Raw Materials)", "European Chemical Agency (ECHA) Classification & Labelling Inventory - Notified classification, and labelling according to CLP criteria", "European Union (EU) Inventory of Ingredients used in Cosmetic Products", "European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures -Annex VI", "European Chemical Agency (ECHA) Classification & Labelling Inventory - Chemwatch Harmonised classification", "European Chemicals Agency (ECHA) REACH Registration Numbers", "Europe European Chemicals Agency (ECHA) List of substances identified for registration in 2010", "European Trade Union Confederation (ETUC) Priority List for REACH Authorisation", "Chemwatch Candidate List of Very High Concern - List of Substances Subject to Authorization", "Europe European Chemicals Agency (ECHA) List of Registered Substances", "Europe EUROpean Chemicals Agency (ECHA) List of Registered Substances", "Europe European Chemicals Agency (ECHA) List of Registered Substances", "Europe European Chemicals Agency (ECHA) List of Registered Substances", "Europe European Chemicals Agency (ECHA) List of Registered Substances", "Europe European Chemicals Agency (ECHA) List of Registered Substances", "Europe EUROpean Chemicals Agency (ECHA) List 67/548/EEC on Classification and Labelling of Dangerous Substances (updated by ATP: 31) - Reprotoxic Substances", "EU Cosmetic Directive 76/768/EEC Annex II: List of Substances which must not form part of the Composition of Cosmetic Products (English)", "EU Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products -Annex II - List of Substances Prohibited in Cosmetic Products", "EU REACH Regulation (EC) No 1907/2006 - Annex XVII (Appendix 6) Toxic to reproduction: category 1B (Table 3.1)/category 2 (Table 3.2)", "Europe AeroSpace and Defence Industries Association of Europe (ASD) REACH Implementation Working Group Priority Declarable Substances List (PDSL)", "EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles", "Imopean Union (EU) Directive 2012/18/EU of 4 July 2012 on the control of major-accident hazards involving dangerous substances", "GESAMP/EHS Composite List - GESAMP Hazard Profiles", "IMO MARPOL 73/78 (Annex II) - List of Noxious Liquid Substances Carried in Bulk", "OSPAR National List of Candidates for Substitution – Norway", "UK The Environmental Protection and control, Annex III", "EU Council Directive 98/83/EC on the quality of water intended for human consumption - Chemical Parameters", "IMO IBC Code Chapter 17: Summary of minimum requirements"

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: 67/548/EEC, 1999/45/EC, 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Regulation (EU) No 453/2010, Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and their amendments as well as the following British legislation: - The Control of Substances Hazardous to Health Regulations (COSHH) 2002 - COSHH Essentials - The Management of Health and Safety at Work Regulations 1999

15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

| ECHA SUMMARY | | | | |
|--|---|--|---|--|
| Ingredient | CAS number | Index No | ECHA Dossier | |
| ethanol | 64-17-5 | 603-002-00-5 | 01-2119457610-43-XXXX | |
| Harmonisation (C&L Inventory) | Hazard Class and Category Code(s) | Pictograms Signal Word Code(s) | Hazard Statement Code(s) | |
| 1 | Flam. Liq. 2 | GHS02, Dgr | H225 | |
| 2 | Flam. Liq. 2, Eye Irrit. 2, Aquatic Chronic 2, STOT SE 3, Repr. 2, STOT RE 1, Not Classified, Skin Irrit. 2, Acute Tox. 4, STOT SE 2, Muta. 1B, Repr. 1A, Acute Tox. 3, STOT SE 1, Met. Corr. 1, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1 | Dgr, GHS01, GHS09, GHS08, Wng, GHS06, GHS05 | H225, H319, H411, H340, H304, H372, H315, H220, H360, H301, H311, H331, H370 | |
| Ingredient | CAS number | Index No | ECHA Dossier | |
| propylene glycol monomethyl ether - alpha isomer | 107-98-2 | 603-064-00-3, 603-106-00-0 | 01-2119457435-35-XXXX | |
| Harmonisation (C&L Inventory) | Hazard Class and Category Code(s) | Pictograms Signal Word Code(s) | Hazard Statement Code(s) | |
| 2 | Flam. Liq. 3, STOT SE 3, Not Classified, Eye Irrit. 2, Skin Irrit. 2, Eye Dam. 1, Repr. 1B, Flam. Liq. 2 | GHS02, Wng, GHS08, GHS03, GHS05, Dgr | H371, H225, H226, H315, H318, H360, H370 | |
| 1 | Flam. Liq. 3, STOT SE 3, Skin Irrit. 2, Eye Dam. 1, Repr. 1B | GHS07, GHS02, Wng, GHS05, GHS08, Dgr | H226, H336, H315, H318, H335, H360 | |

SECTION 16 Other information

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.